



METHOMYL INSECTICIDE DUST-2

PRODUCT NO
20 752301

NET CONTENTS
50 POUNDS

FASCO METHOMYL INSECTICIDE DUST-2 contains 2% actual LANNATE[®] insecticide. This product is designed for control of certain insects attacking listed crops. Use only in commercial plantings, do not use in home plantings.

DIRECTIONS FOR USE

CABBAGE — CABBAGE LOOPER: Apply 25 lbs. per acre. **DIAMOND BACK MOTH:** Apply 25 to 45 lbs. per acre. Commence dusting when worms first appear on leaves, repeat at 5-7 day intervals. Do not apply within one day of harvest.

LETTUCE (Head) — CABBAGE LOOPER, BEET ARMYWORM: Apply 25 to 45 lbs. per acre. Commence dusting when worms first appear on leaves, repeat at 5 to 7 day intervals. Do not apply within 21 days of harvest.

IMPORTANT

Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not re-use the container, crush and bury when empty. Do not contaminate water when cleaning equipment or disposing of wastes or containers.

DANGER TO FISH & WILDLIFE

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. This product is toxic to bees and should not be applied when bees are actively visiting the area.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

REVISION F

ACTIVE INGREDIENT

*Methomyl (S-Methyl-N-[(methylcarbamoyl)oxy]thioacetimidate) 2.00%

INERT INGREDIENTS

98.00%
TOTAL 100.00%

*LANNATE[®] Insecticide, E. I. DuPont de Nemours & Co., U.S. Pat. 3,576,834

WARNING: HARMFUL IF SWALLOWED OR INHALED.

KEEP OUT OF REACH OF CHILDREN

[Faded text, likely bleed-through from the reverse side of the page]

SEE SIDE PANEL FOR ADDITIONAL FIRST AID & PRECAUTIONARY INFORMATION

FPA Reg. No. 2342-770

MANUFACTURED BY
KERR-MCGEE CHEMICAL CORP.
OKLAHOMA CITY, OKLAHOMA

FIRST AID — ANTIDOTE

ATROPINE IS AN ANTIDOTE — CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1 100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If warning symptoms appear (see warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 1 100 grain) until throat becomes dry & skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

WARNING SYMPTOMS — Methomyl poisoning produces effect associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any anticholinesterase inhibitors until recovery is assured. Do not use morphine or PAM.

774W

ACCEPTED WITH COMMENTS



METHOMYL INSECTICIDE DUST-2

NET CONTENTS
5 LBS (2.27 KG)

FORM NO. 1002
REV. 10/77

FASCO METHOMYL INSECTICIDE DUST 2 (2.27 KG)
Contains 2.27 kg (5 lbs) of Methomyl Insecticide Dust 2.
This product is a systemic insecticide for control of
various insects on a wide range of crops.

DIRECTIONS FOR USE

CABBAGE — CABBAGE LOOPER: Apply 5 lbs per acre
to the dusting area with a backpack sprayer or
5-gal. container. Do not follow with irrigation.

LETTUCE — CABBAGE LOOPER, BEET ARMYWORM:
Apply 5 lbs per acre to the dusting area with a
backpack sprayer or 5-gal. container. Do not follow
with irrigation.

IMPORTANT

Keep out of reach of children. Do not use in
open areas where children or animals may be
present. Do not use in residential areas, schools,
hospitals, or near water bodies.

DANGER TO FISH & WILDLIFE

This product is highly toxic to fish and wildlife.
Do not apply to water bodies or near water bodies.
Do not apply to areas where fish and wildlife
are present.

CONDITIONS OF SALE

This product is sold as a restricted use pesticide.
It may only be sold to and used by licensed
pesticide applicators.

ACTIVE INGREDIENT

Methomyl (S-Methoxy Carbonyl Methylcarbamate)

NET INGREDIENTS

Contains 2.27 kg (5 lbs) of Methomyl Insecticide Dust 2.

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL
FIRST AID & PRECAUTIONARY INFORMATION

FIRST AID — ANTI-DOTE

IF SWALLOWED: Do not induce vomiting. Give 1-2 glasses of water.
IF IN EYES: Flush with water for 15 minutes.
IF ON SKIN: Wash with soap and water.

IF INHALED: Move to fresh air. If breathing is difficult, give oxygen.
IF ON CLOTHING: Remove clothing and wash separately.

IF ON FACE: Wash with soap and water.
IF ON HAIR: Wash with soap and water.

IF ON MOUTH: Wash with soap and water.
IF ON TEETH: Wash with soap and water.

IF ON NAILS: Wash with soap and water.
IF ON FINGERS: Wash with soap and water.

IF ON TOES: Wash with soap and water.
IF ON FEET: Wash with soap and water.

IF ON HANDS: Wash with soap and water.
IF ON WRISTS: Wash with soap and water.



MANUFACTURED BY
KERR-MCGEE CHEMICAL CORP.
OKLAHOMA CITY, OKLAHOMA