



Zineb Fungicide

Zineb Fungicide is designed for use as a spray against certain foliage diseases of plants.

DIRECTIONS

Use contrary to these directions may cause plant, crop or personal injury, unsatisfactory control or other unintended consequences.

AZALEA PETAL BLIGHT: Begin applications when flowers are in bud. Spray at least three times each week during bloom period. Use a fine mist spray to avoid damage and discoloration of bloom. Spray ground under bushes thoroughly. Mix with water at the rate of 5 teaspoons per gal., 1 cup per 10 gal. or 8 oz. per 25 gal.

VEGETABLES: Against Early and Late Blight, Grey Leafspot and Anthracnose of tomatoes, apply when first fruit clusters are well formed or when disease threatens. Repeat every 3 to 10 days as needed. Do not apply within 5 days of harvest. Against Downy Mildew and Anthracnose of cucumbers, cantaloupes, melons and squash, begin applications when plants emerge or when disease first appears. Repeat every 3 to 10 days as needed. Do not apply within 5 days of harvest. Mix with water and apply at the same rate given for Azalea Petal Blight above.

CAUTION

May cause irritation of nose, throat, and skin. Do not breathe dust or spray mist. May be harmful if inhaled or swallowed. Avoid contact with skin, eyes, and clothing. Keep away from fire or sparks. In case of contact, flush with plenty of water. For eyes, get medical attention. Keep containers closed. Store in dry place. Do not re-use container. Destroy when empty.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Product No. 788142 • Draft B • E.P.A. Reg. No. 2342-772
Manufactured for Kerr-McGee Chemical Corp.
Jacksonville, Florida U.S.A.
General Offices, Oklahoma City, Oklahoma




POSITIVE PESTICIDES

Zineb Fungicide


FOR Certain Diseases of Vegetables and Azalea Petal Blight

ACTIVE INGREDIENTS:	BY WT.
Zineb (Zinc Ethylene Bisdithiocarbamate)	75.00%
(Total Zinc as Metallic 17.7%)	
INERT INGREDIENTS:	25.00%



CAUTION: Keep out of reach of children.
See back panel for additional cautions.

Net Contents 10 Ounces



GRO-TONE

Zineb Fungicide

Zineb Fungicide is designed for use as a spray against certain foliage diseases of plants.

DIRECTIONS

Use contrary to these directions may cause plant, crop or personal injury, unsatisfactory control or other unintended consequences.

AZALEA PETAL BLIGHT: Begin applications when flowers are in bud. Spray at least three times each week during bloom period. Use a fine mist spray to avoid damage and discoloration of bloom. Spray ground under bushes thoroughly. Mix with water at the rate of 5 teaspoons per gal., 1 cup per 10 gal. or 8 oz. per 25 gal.

VEGETABLES: Against Early and Late Blight, Grey Leafspot and Anthracnose of tomatoes, apply when first fruit clusters are well formed or when disease threatens. Repeat every 3 to 10 days as needed. Do not apply within 5 days of harvest. Against Downy Mildew and Anthracnose of cucumbers, cantaloupes, melons and squash, begin applications when plants emerge or when disease first appears. Repeat every 3 to 10 days as needed. Do not apply within 5 days of harvest. Mix with water and apply at the same rate given for Azalea Petal Blight above.

CAUTION

May cause irritation of nose, throat, and skin. Do not breathe dust or spray mist. May be harmful if inhaled or swallowed. Avoid contact with skin, eyes, and clothing. Keep away from fire or sparks. In case of contact, flush with plenty of water. For eyes, get medical attention. Keep containers closed. Store in dry place. Do not re-use container. Destroy when empty.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Product No. 788142 • Draft B • E.P.A. Reg. No. 2342-772
Manufactured for Kerr-McGee Chemical Corp.
Jacksonville, Florida U.S.A.
General Offices, Oklahoma City, Oklahoma

GRO-TONE

POSITIVE PESTICIDES

Zineb Fungicide

FOR Certain Diseases of Vegetables and Azalea Petal Blight

ACTIVE INGREDIENTS:	BY WT.
Zineb (Zinc Ethylene Bisdithiocarbamate)	75.00%
(Total Zinc as Metallic 17.7%)	
INERT INGREDIENTS:	25.00%

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

Net Contents 10 Ounces

ACCEPTED

July 30, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2342-772

