

GRO-TONE

Nematode Granular

GENERAL DIRECTIONS: Apply Gro-Tone Nematode Granular to the soil surface at the recommended rates when the soil temperature is above 50° F. The soil should be in good tilth and contain adequate moisture. Organic matter in the soil should be well-decomposed. Work into the soil prior to planting to a depth of 4 to 6 inches for annuals or transplants. For established turf and ornamentals, see specific use directions. Do not treat extremely wet or dry soils. Use only on mineral soils.

Vegetables: Snap Beans, Cucumbers, Summer Squash, Carrots, Cabbage, Cauliflower, Okra. Evenly apply at rate of one pound per 400 Sq. Ft. prior to planting, and work into soil. Wait 7 to 14 days after treatment before planting. Do not feed vines of beans to livestock. Do not feed carrot plant parts to livestock.

Ornamentals: Arbovitae, Ardisia, Aster, Azalea, Camellia, Shasta Daisy, Forsythia, Gardenia, Hibiscus, Rose.

Pre-Plant Treatment: — Evenly apply one pound per 140 Sq. Ft. and work into the soil. Wait 7 to 14 days after treatment before planting.

Post-Plant Treatment — Evenly apply one pound per 140 Sq. Ft. on soil around plants, lightly rake in, and apply sufficient water to soak soil 4 inches deep. For spot treatment to individual plants, apply 1 tablespoonful per 3 Sq. Ft. (circle 2 Ft. in diameter). Lightly rake in and soak soil 4 inches deep.

Lawn Grasses: (Bermuda, Centipede, St. Augustine, Zoysia). Apply evenly over

established lawns using 1 pound per 90 Sq. Ft. After application IMMEDIATELY water the treated area thoroughly to wash the granules into the soil. Keep children and pets off treated areas until the material has been washed into the soil. Do not graze treated areas. Do not feed clippings to livestock.

WARNING! MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT. Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing of vapors or dust. Do not take internally. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of the reach of children and domestic animals. Do not contaminate feed and foodstuffs. Keep children and pets off treated areas until this material has been washed into the soil.

DANGER TO FISH AND WILDLIFE: This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL: Destroy by burying with wastes. Never re-use the container.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Manufactured by Kerr-McGee Chemical Corp.
Jacksonville, Florida, U.S.A.
General Offices: Oklahoma City, Oklahoma

Product No. 754512 • Draft B • E.P.A. Reg. No. 2342-774

GRO-TONE

POSITIVE PESTICIDES

Nematode Granular

Contains NEMAGON®

CONTROLS Nematodes Attacking Living Plants


ACTIVE INGREDIENTS:	BY WT.
1,2-Dibromo-3-chloropropane	16.435%**
Other Halogenated C ₃ Compounds865%**
INERT INGREDIENTS:	82.700%

** Equivalent to 17.3% Nemagon Soil Fumigant Nemagon, Reg. TM, Shell Chemical Company

ACCEPTED
June 12, 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2342-774

WARNING: Keep Out of the Reach of Children
See additional warnings on this label.

Net Contents 1 Pound



GRO-TONE

Nematode Granular

GENERAL DIRECTIONS: Apply Gro-Tone Nematode Granular to the soil surface at the recommended rates when the soil temperature is above 50° F. The soil should be in good tilth and contain adequate moisture. Organic matter in the soil should be well-decomposed. Work into the soil prior to planting to a depth of 4 to 6 inches for annuals or transplants. For established turf and ornamentals, see specific use directions. Do not treat extremely wet or dry soils. Use only on mineral soils.

Vegetables: Snap Beans, Cucumbers, Summer Squash, Carrots, Cabbage, Cauliflower, Okra. Evenly apply at rate of one pound per 400 Sq. Ft. prior to planting, and work into soil. Wait 7 to 14 days after treatment before planting. Do not feed vines of beans to livestock. Do not feed carrot plant parts to livestock.

Ornamentals: Arbovitae, Ardisia, Aster, Azalea, Camellia, Shasta Daisy, Forsythia, Gardenia, Hibiscus, Rose.

Pre-Plant Treatment — Evenly apply one pound per 140 Sq. Ft. and work into the soil. Wait 7 to 14 days after treatment before planting.

Post-Plant Treatment — Evenly apply one pound per 140 sq. Ft. on soil around plants, lightly rake in, and apply sufficient water to soak soil 4 inches deep. For spot treatment on individual plants, apply 1 tablespoonful per sq. Ft. (circle 2 Ft. in diameter), lightly rake in, and soak soil 4 inches deep.

Lawn Grasses — Bermuda, Centipede, St. Augustine, Zoysia. Apply evenly over

established lawns using 1 pound per 90 Sq. Ft. After application IMMEDIATELY water the treated area thoroughly to wash the granules into the soil. Keep children and pets off treated areas until the material has been washed into the soil. Do not graze treated areas. Do not feed clippings to livestock.

WARNING! MAY CAUSE IRRITATION OF SKIN, EYES, NOSE AND THROAT. Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing of vapors or dust. Do not take internally. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of the reach of children and domestic animals. Do not contaminate feed and foodstuffs. Keep children and pets off treated areas until this material has been washed into the soil.

DANGER TO FISH AND WILDLIFE: This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL: Destroy by burying with wastes. Never re-use the container.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Manufactured by Kerr-McGee Chemical Corp.
 10000 E. 17th St., Tulsa, Oklahoma, U.S.A.
 Tulsa Office: Oklahoma City, Oklahoma

Product No. 754512 • Draft B • F.P.A. Reg. No. 2342-774

GRO-TONE

POSITIVE PESTICIDES

Nematode Granular

Contains NEMAGON

CONTROLS Nematodes Attacking Living Plants

ACTIVE INGREDIENTS:	BY WT.
1,2-Dibromo-3-chloropropane	16.435%**
Other Halogenated C ₃ Compounds	.865%**
INERT INGREDIENTS:	82.700%

** Equivalent to 17.3% Nemagon Soil Fumigant Nemagon, Reg. TM, Shell Chemical Company

ACCEPTED

June 10, 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROBOTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 2342-774

WARNING: Keep Out of the Reach of Children
 See additional warnings on this label.

Net Contents 1 Pound

