



2% PHOSDRIN DUST

ACTIVE INGREDIENTS:

Alpha Isomer of 2-Carbomethoxyl—1-methylvinyl Dimethyl Phosphate
Related Compounds

INERT INGREDIENTS

*Equivalent to 2.0% Phosdrin Insecticide

By Wt.

1.2%*
0.8%*

98.0%

100.0%

USDA Reg. No.

ACCE

5/2

UNDER THE FEDE
FUNGICIDE AND
FOR ECONOMIC P
ED UNDER NO. 9

Keep out of reach
of children.

GENERAL DIRECTIONS

Use this product for recommended purposes and at recommended dosage

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY, INCREASE SUSCEPTIBILITY TO PHOSDRIN INSECTICIDE POISONING. Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Phosdrin Insecticide protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of accidental contact remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. Decontaminate areas and equipment by washing with strong lye solution, then destroy used containers to prevent re-use.

ANTIDOTE AND FIRST AID TREATMENT

Atropine is the emergency antidote for Phosdrin insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes

If warning symptoms appear: Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See warning symptoms below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen

BROCCOLI CABBAGE	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 - 12.5 lbs. of product/acre)	Begin dusting when insects first appear. Repeat as necessary	I t h
	Cabbage looper Imported cabbage worm, grasshoppers, leafhoppers, salt-marsh caterpillar, mites, cutworms (climbing), Dipterous leafminer (adults), lygus bugs	0.25 to 0.5 lbs. actual phosdrin per acre; (12.5 - 25 lbs. of the product per acre)		
TOMATOES (outdoor)	Aphids	0.125 to 0.25 actual phosdrin per acre (6.25 to 12.5 lbs. of product per acre)	Begin dusting when insects first appear. Repeat as necessary.	I t h
	Grasshoppers, Leafhoppers, Mites	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		
BRUSSEL SPROUTS, CAULI- FLOWER, COLLARDS, KALE	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 to 12.5 lbs. of the product per acre)	Begin dusting when insects first appear. Repeat as necessary.	I t d h
	Cabbage looper, Imported cabbage worm, grasshopper, leafhoppers, salt- marsh caterpillar mites, cutworm (climbing), dipterous leaf- miner (adults) lygus bugs	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY, INCREASE SUSCEPTIBILITY TO PHOSDRIN INSECTICIDE POISONING. Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Phosdrin insecticide protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of accidental contact remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. Decontaminate areas and equipment by washing with strong lye solution, then destroy used containers to prevent re-use.

ANTIDOTE AND FIRST AID TREATMENT

Atropine is the emergency antidote for Phosdrin insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes

If warning symptoms appear: Administer two 1/100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR** (See warning symptoms below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed, as determined by blood test.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept out of treated fields on the day of treatment. Keep out of reach of children and domestic animals. Do not contaminate food or feed products. This product is poisonous to fish and wildlife. Keep out of ponds, lakes and streams. Do not apply in any manner not specified on the label. Empty containers are to be destroyed by burning or burying. If burned, avoid smoke. Do not apply with hand equipment.

NOTICE: The manufacturer guarantees and warrants that the active ingredient and the minimum active ingredient content and the net weight of contents are as stated and that the directions, warnings, and other statements on this label are reasonably and fairly based upon responsible testing of effectiveness, of toxicity to plants and to laboratory animals, and of residue remaining on food crops. The manufacturer makes no other expressed or implied guarantee, warranty or representation, whatever, of a different sort, and none is to be inferred by the purchaser or user. No modification of this paragraph is authorized, except by specific reference to this paragraph in writing by an employee of the manufacturer.



KERR-MCGEE CHEMICAL CORP.

GENERAL OFFICES: OKLAHOMA CITY, OKLAHOMA
NEW BERN, NORTH CAROLINA • CHARLESTON, SOUTH CAROLINA

BROCCOLI CABBAGE	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 - 12.5 lbs. of product/acre)	Begin dusting when insects first appear. Repeat as necessary	Do not harvest
	Cabbage looper, Imported cabbage worm, grasshoppers, leafhoppers, salt-marsh caterpillar, mites, cutworms (climbing), Dipterous leafminer (adults), lygus bugs	0.25 to 0.5 lbs. actual phosdrin per acre; (12.5 - 25 lbs. of the product per acre)		
TOMATOES (outdoor)	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 to 12.5 lbs. of product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not harvest
	Grasshoppers, Leafhoppers, Mites	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		
BRUSSEL SPROUTS, CAULI- FLOWER, COLLARDS, KALE	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 to 12.5 lbs. of the product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not harvest
	Cabbage looper, Imported cabbage worm, grasshopper, leafhoppers, salt-marsh caterpillar, mites, cutworm (climbing), dipterous leaf-miner (adults) lygus bugs	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		
TURNIPS	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 to 12.5 lbs. of the product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not harvest before
	Cabbage looper, imported cabbage worm, grasshopper, leafhoppers, mites, false chinch bug, dipterous leafminer (adult)	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		



ON
ER



Keep out of reach
of children.

2% PHOSDRIN DUST

ACTIVE INGREDIENTS:

Alpha Isomer of 2-Carbomethoxyl-1-methylvinyl Dimethyl Phosphate
Related Compounds

INERT INGREDIENTS

*Equivalent to 2.0% Phosdrin Insecticide

By Wt.

1.2%*
0.8%*

98.0%

100.0%

USDA Reg. No. 9132-25

ACCEPTED

5/24/67

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 9132-25

GENERAL DIRECTIONS

Use this product for recommended purposes and at recommended dosages

SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN.
BED THROUGH SKIN. REPEATED INHALATION OR SKIN
WITHOUT SYMPTOMS. PROGRESSIVELY, INCREASE SUSCEP-
IOSDRIN INSECTICIDE POISONING. Do not swallow or get in eyes,
thing. Do not breathe dust or vapors. Wear clean natural rubber
erproof protective clothing, and goggles. Replace gloves frequently
gloves. Wear a mask or respirator of a type passed by the U. S.
riculture for Phosdrin Insecticide protection. Wash thoroughly with
fter handling and before eating or smoking. If the material gets
mediately flush with water for at least ten minutes and get medical
e of accidental contact remove all contaminated clothing and wash
nd water; wash clothing before reuse. Decontaminate areas and
hing with strong lye solution, then destroy used containers to pre-

ANTIDOTE AND FIRST AID TREATMENT

mergency antidote for Phosdrin insecticide poisoning. Consult your
btaining an adequate supply of 1/100 grain atropine tablets for
ALL A PHYSICIAN IMMEDIATELY.

the material has been swallowed, induce vomiting immediately. This
introducing a finger into the throat or by giving warm salt water
salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH
IOUS PERSON.

the material has been spilled on the skin, immediately remove patient
of the insecticide, remove all contaminated clothing, and wash skin
nning water. If the material gets into the eyes, wash immediately
r for at least ten minutes.

ms appear: Administer two 1/100 grain atropine tablets immediately.
TER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See
s below). Keep patient prone and quiet. Start artificial respiration
atient is not breathing. Transport the patient immediately to the

ICIAN: Warning symptoms include weakness, headache, tightness
vision, non-reactive pin-point pupils, salivation, sweating, nausea,
, and abdominal cramps. TREATMENT: Atropine is the specific
nist of choice against parasympathetic nervous stimulation. If there
asympathetic stimulation, atropine sulfate should be injected at 10-
in doses of 1 to 2 milligrams, until complete atropinization has
ne is contraindicated. Clear chest by natural drainage. Oxygen

BROCCOLI CABBAGE

Aphids

0.125 to 0.25 lbs.
actual phosdrin
per acre (6.25 - 12.5
lbs. of product/acre)

Begin dusting when
insects first appear.
Repeat as necessary

Do not treat later
than 1 day before
harvest

Cabbage looper
Imported cabbage worm,
grasshoppers, leafhoppers,
salt-marsh caterpillar,
mites, cutworms
(climbing), Dipterous
leafminer (adults),
lygus bugs

0.25 to 0.5 lbs.
actual phosdrin
per acre; (12.5 -
25 lbs. of the
product per acre)

TOMATOES (outdoor)

Aphids

0.125 to 0.25
actual phosdrin
per acre (6.25 to
12.5 lbs. of product
per acre)

Begin dusting when
insects first appear.
Repeat as necessary.

Do not treat later
than 1 day before
harvest.

Grasshoppers.
Leafhoppers,
Mites

0.25 to 0.5 lbs.
actual phosdrin
per acre. (12.5 to
25 lbs. of the
product per acre)

BRUSSEL SPROUTS. CAULI- FLOWER. COLLARDS. KALE

Aphids

0.125 to 0.25 lbs.
actual phosdrin
per acre (6.25 to
12.5 lbs. of the
product per acre)

Begin dusting
when insects
first appear.
Repeat as necessary.

Do not treat
later than 3
days before
harvest.

Cabbage looper,
Imported cabbage
worm, grasshopper,
leafhoppers, salt-
marsh caterpillar
mites, cutworm
(climbing),
dipterous leaf-
miner (adults)
lygus bugs

0.25 to 0.5 lbs.
actual phosdrin
per acre. (12.5 to
25 lbs. of the
product per acre)

WALLOWED, INHALED, OR ABSORBED THROUGH SKIN. ED THROUGH SKIN. REPEATED INHALATION OR SKIN ITHOUT SYMPTOMS. PROGRESSIVELY, INCREASE SUSCEP-SDRIN INSECTICIDE POISONING. Do not swallow or get in eyes, ing. Do not breathe dust or vapors. Wear clean natural rubber proof protective clothing, and goggles. Replace gloves frequently ves. Wear a mask or respirator of a type passed by the U. S. ulture for Phosdrin Insecticide protection. Wash thoroughly with r handling and before eating or smoking. If the material gets liately flush with water for at least ten minutes and get medical of accidental contact remove all contaminated clothing and wash water; wash clothing before reuse. Decontaminate areas and ng with strong lye solution, then destroy used containers to pre-

ANTIDOTE AND FIRST AID TREATMENT

rgency antidote for Phosdrin insecticide poisoning. Consult your ining an adequate supply of 1/100 grain atropine tablets for L A PHYSICIAN IMMEDIATELY.

material has been swallowed, induce vomiting immediately. This roducing a finger into the throat or by giving warm salt water to a glass of water). NEVER GIVE ANYTHING BY MOUTH US PERSON.

material has been spilled on the skin, immediately remove patient the insecticide, remove all contaminated clothing, and wash skin ing water. If the material gets into the eyes, wash immediately or at least ten minutes.

appear: Administer two 1/100 grain atropine tablets immediately. ER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (See elow). Keep patient prone and quiet. Start artificial respiration nt is not breathing. Transport the patient immediately to the

AN: Warning symptoms include weakness, headache, tightness sion, non-reactive pin-point pupils, salivation, sweating, nausea, and abdominal cramps. TREATMENT: Atropine is the specific it of choice against parasympathetic nervous stimulation. If there mpathetic stimulation, atropine sulfate should be injected at 10- doses of 1 to 2 milligrams, until complete atropinization has is contraindicated. Clear chest by postural drainage. Oxygen e necessary. Observe patient continuously for 48 hours. Repeated terase inhibitors may, without warning, cause prolonged suscep- doses of any cholinesterase inhibitor. Allow no further exposure esterase regeneration has been allowed, as determined by blood test.

PRECAUTIONS IN USING

w to drift to areas occupied by unprotected humans or beneficial l humans and animals should be kept out of treated fields on . Keep out of reach of children and domestic animals. Do not feed products. This product is poisonous to fish and wildlife. lakes and streams. Do not apply in any manner not specified containers are to be destroyed by burning or burying. If burned, apply with hand equipment.

The manufacturer guarantees and warrants that the active ingredient and the minimum active ingredient content and the net weight of contents are as stated and that the ns, warnings, and other statements on this label are reasonably and fairly based upon responsible testing of effectiveness, of toxicity to plants and to laboratory animals, and ue remaining on food crops. The manufacturer makes no other expressed or implied guarantee, warranty or representation, whatever, of a similar or different sort, and none is ferred by the purchaser or user. No modification of this paragraph is authorized, except by specific reference to this paragraph in writing by an employee of the manufacturer.

KERR-MCGEE CHEMICAL CORP.



GENERAL OFFICES: OKLAHOMA CITY, OKLAHOMA

NEW BERN, NORTH CAROLINA • CHARLESTON, SOUTH CAROLINA

BRUSSELS SPROUTS, CAULI- FLOWER, COLLARDS, KALE	Aphids	0.125 to 0.25 actual phosdrin per acre (6.25 to 12.5 lbs. of product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not treat later than 1 day before harvest.
	Cabbage looper, Imported cabbage worm, grasshoppers, leafhoppers, salt-marsh caterpillar, mites, cutworms (climbing), Dipterous leafminer (adults), lygus bugs	0.25 to 0.5 lbs. actual phosdrin per acre; (12.5 - 25 lbs. of the product per acre)		
TOMATOES (outdoor)	Aphids	0.125 to 0.25 actual phosdrin per acre (6.25 to 12.5 lbs. of product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not treat later than 1 day before harvest.
	Grasshoppers, Leafhoppers, Mites	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		
TURNIPS	Aphids	0.125 to 0.25 lbs. actual phosdrin per acre (6.25 to 12.5 lbs. of the product per acre)	Begin dusting when insects first appear. Repeat as necessary.	Do not treat later than 3 days before harvest.
	Cabbage looper, imported cabbage worm, grasshopper, leafhoppers, mites, false chinch bug, dipterous leafminer (adult)	0.25 to 0.5 lbs. actual phosdrin per acre. (12.5 to 25 lbs. of the product per acre)		