

[2292-840]

FRONT PANEL COPY

50%  
Malathion  
SPRAY

Makes up to 48 gallons Diluted Spray at average Dilution.


KILLS Aphids, Red Spider Mites, Flies, Scale.

ACTIVE INGREDIENTS:

Malathion*	50.0%
Methalated Naphthalenes	42.0%
INERT INGREDIENTS	8.0%
Total	100.0%

\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION: KEEP OUT OF REACH OF CHILDREN  
(See side panels for additional caution statements.)



DIRECTIONS FOR USE

VEGETABLE INSECTS: Use 1 teaspoonful per gallon of water on Beans, Cabbage, Cucumbers, Potatoes and Tomatoes to control Aphids, Cabbage Loopers, Imported Cabbageworms, Leafhoppers, Mexican Bean Beetles and Spider Mites. Do not apply later than 7 days before harvest. Do not apply to Cucurbits unless plants are dry.

ORNAMENTAL INSECTS: Use 1 to 2 teaspoonfuls per gallon of water to control Aphids, Birch Leaf Miners, Boxwood Leaf Miners, Japanese Beetle Adult, Lace Bugs, Leafhoppers, Mealybugs, Tarnished Plant Bugs, Thrips, Tent Caterpillars, Scale Insects on Flowers, Shrubs, and Shade Trees. Do not use on Ferns, including Boston, Maiden-hair and Pteris as well as on some species of Crassula.

HOUSEHOLD INSECTS: Use 3 tablespoonfuls in 1 quart of water, and apply as a coarse spray or brush on window sills, baseboards, drainboards, under sinks, and stoves, etc., to control Roaches, Ants, Spiders, Silverfish, Crickets, Clover Mites and Earwigs. Be careful not to contaminate food or utensils. Water base sprays may stain finished surfaces. Repeat applications as necessary.

ANIMAL PESTS: For fleas, on dogs, and cats, use 2 tablespoonfuls per gallon of this concentrate in 1 gallon of water. Use a hand sprayer and wet animal thoroughly. Animals that are not confined should be re-examined closely every 3 weeks or so, and treated if needed. Repeat treatments, if necessary, should not be more often than once every 2-3 weeks. For animal quarters, use 10 tablespoonfuls per gallon in 1 quart of water and spray under porches, pens, garages and kennels, etc. Remove animals before treatment and put in fresh bedding after treatment.

1128 111  
2.1  
1128 111

**SIZE PANEL COPY**

**CUTION: Dangerous if swallowed, inhaled or absorbed through skin. Avoid prolonged breathing of spray mist. Avoid repeated or prolonged breathing of spray mist. Avoid repeated or prolonged contact with skin. Wash with soap and water after using. Wash clothing with soap and water before re-use. Avoid contamination of food and food-stuffs. Keep out of reach of children and domestic animals. This product will kill fish. Keep out of lakes, streams, and ponds. Never re-use containers. Destroy them when empty.**

**CONDITIONS OF SALE**

**The manufacturer makes no representation or warranty except as appears on this label, and shall not be responsible for any injury to person or property resulting from improper use.**

**Distributed By**

**Kerr-Mc Gee Chemical Corp.**

**Oklahoma City, Oklahoma**

**U.S.P.A. Registration No. 9132 -**

**Printed in U.S.A.**

**Made in U.S.A.**