KERR-MCGEE	ACCEPTED	1
NET CONTENTS - 5 GALLONS	AFT G	(23-12-844)
ACTIVE INGREDIENTS: Methoxychlor*	MIR No. Vide 157 T	23.787%
mercaptosuccinate)		. 23.807% . 43.51 %
INERT INGREDIENTS:		. <u>8,896%</u>
	TOTAL	100.0%

*23.787 methoxychlor, technical is equivalent to 20.814% 2,2-bis (p-methoxyphenyl) 1,1,1-trichloroethane and 2.973% other isomers and reaction products.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

CAUTION

(18 Point Type)

Keep Out of Reach Of Children and Animals

(12 Point Type)

Harmful if swallowed. Avoid prolonged breathing of dust or spray mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Highly toxic to fish. Do not contaminate lakes, ponds and streams.

CONDITIONS OF SALE: The Kerr-McGee Chemical Corp., makes no representation or warranty except as appears on this label, and shall not be responsible for any injury to person or property resulting from improper use.

DIRECTIONS FOR USE

(Could vary with area)

ALFALFA: For control of alfalfa weevil, spittlebug, leafhopper and aphids.

rIRST CUTTING: Apply 2-3 quarts per acre as soon as weevil damage appears in the field. Early application is desired to control the weevil when they are small. Do not apply within 7 days of harvest. Do not apply after full bloom.

STUBBLE SPRAYING: In areas where weevil appears at cutting time. Remove the first cutting and apply 2-3 quarts per acre to the stubble to control weevil larvae and aphis.

SECOND AND SUBSEQUENT CUTTINGS: Apply 2 to 3 quarts per acre to control alfalfa weevil, leafhopper and aphis as these insects appear. Do not apply within 7 days of harvest.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

MANUFACTURED BY

Kerr-McGee Chemical Corp. Oklahoma City, Okla.
U.S.D.A. REG. No. 9132-