

**Net Contents
14 Fluid Ounces**

For spot treatment in non-crop areas, such as fence rows, vacant lots and waste areas. Contains added ingredients to spread the spray and hold it fast to the shiny leaves. Absorbed through the leaves, Poison Ivy Killer is carried within the entire plant down into the roots, killing the entire plant. This action takes two weeks or longer but effects may be noticeable within 10 days. May be used at any time of the year.

For close spraying hold button half way down and for distance spraying (up to 15') hold button all the way down. Spray in short bursts to the point of run off. Aim spray at top leaf clusters first, working the spray down to the base. For higher, aerial rootlets, spray from shoulder level to base. For Poison Ivy entwined in Privet or Lilac, cut vines at base, rather than risking spray injury to these plants.

WARNING

Avoid contact with skin, eyes or clothing. Spray drift may kill adjacent plants. Avoid spraying on windy days or spraying too close to desirable plants. Do not use in greenhouse or store near seeds, fertilizers, or insecticides. Store away from heat and do not use near open flames. Do not puncture or incinerate container. Keep out of reach of children.



ACTIVE INGREDIENT:
*Triethylamine Salt of 2, 4, 5-Trichlorophenoxyacetic Acid..... 2.0%
INERT INGREDIENTS:..... 98.0%
Total 100.0%
*2, 4, 5-Trichlorophenoxyacetic Acid equivalent 1.4%



**KILLS ROOTS
AND ALL!**

Sprays from a safe distance

CAUTION

Never burn dead poison ivy plants as smoke can cause injury to skin and lungs.

CONDITIONS OF SALE

The seller guarantees the material sold to be true to the label. Further than that, it makes no representation or warranty, and it shall not be held responsible for any injury to crop, soil, person or property, resulting from the use or handling of said material, whether used in accordance with directions or not. The buyer and or user accept this material subject to the above conditions of sale.



Distributed by

THE TRIPLEX CHEMICAL CO. INC.
CINCINNATI, OHIO

U.S.A. 100-111-100...



Handwritten signature: Max H. [unclear]
UNOFFICIAL...
FOR...
TO ATTACHED COMMENTS

Handwritten number: 2512-530

ACCEPTED

MAY 22 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROSENKILLER ACT
FOR ECONOMIC POISON REGISTRATION
UNDER NO. 9134-249 SUBJECT
TO ATTACHED COMMENTS.

FRONT PANEL COPY

2342-873

Granular

LAM WEED KILLER

with 2,4-D and Silvex

This combination of 2,4-D and Silvex is very effective, economical and easy to use in a dry granular form.

Contents of this bag will cover 5,000 square feet (100 feet x 50 feet).

CAUTION: KEEP OUT OF REACH OF CHILDREN. See back panel for additional cautions.

ACTIVE INGREDIENTS:

Dimethylamine Salts of 2,4-Dichlorophenoxyacetic Acid. 1.76%
 Equivalent to 1.46% 2,4-Dichlorophenoxyacetic Acid
 Isooctyl ester of Silvex 2-(2,4,5-trichlorophenoxy)
 Propionic Acid..... 2.05%
 Equivalent to 1.45% 2-(2,4,5-trichlorophenoxy)
 Propionic Acid

INERT INGREDIENTS:	96.19%
(Other than Herbicidal)	Total 100.00%

BACK PANEL COPY

GRANULAR LAWN WEED KILLER is a powerful, fast acting 2,4-D plus Silvex that has proven to be very successful for the control of not only the common lawn weeds, such as dandelions, burdock, sheep sorrel, dock, pigweed, buckhorn, plantain, and other broadleaf weeds, but also the more resistant prostrate broadleaf lawn weeds as follows:

Common Chickweed	Knot weed
Mouse-ear chickweed	Ground Ivy
Red Clover	Spotted Spurge

DIRECTIONS FOR USE

Granular Lawn Weed Killer can be used in the spring, summer, or fall. However, the best results are obtained when the weeds are growing vigorously. When using this product strive to distribute it uniformly and to retain the granules on the leaves of weeds. The following suggestions will assist:

Apply between mowings to provide sufficient leaf surface to be treated. Sprinkle lawn prior to application or apply after a light rainfall. Delay application when rain is predicted. Do not water lawn for 24 hours after application. Avoid application on windy days to avoid drift to surrounding plants. Do not treat newly seeded lawns until grasses are well established or at least until after third mowing. This product may injure Bentgrass, St. Augustine Grass, and Carpet Grass. In some areas, therefore, do not use on turf where these grasses predominate.

SUGGESTED SPREADER SETTINGS

Hubbard-Hall Model 345G1	No. 3
Hubbard-Hall Model 2	No. 2.5
Lawn Beauty	No. 8
Scott's	No. 6
Jackson	No. 5

If using a spreader not listed above, adjust spreader openings to approximately 1/16". To test your spreader setting apply 1 lb. to 150 square feet. (50' x 3') area.

ACCEPTED

MAY 22 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND REPELLENT ACT
FOR ECONOMIC INSECTICIDES
ED UNDER NO. 910.244, SUBJECT
TO ATTACHED COMMENTS.

FRONT PANEL COPY

2342-873

Granular

LAWN WEED KILLER

with 2,4-D and Silvex

This combination of 2,4-D and Silvex is very effective,
economical and easy to use in a dry granular form.

Contents of this bag will cover 5,000 square feet
(100 feet x 50 feet).

CAUTION: KEEP OUT OF REACH OF CHILDREN. See back panel
for additional cautions.

ACTIVE INGREDIENTS:

Diethylamine Salts of 2,4-Dichlorophenoxyacetic Acid	1.76%
Equivalent to 1.46% 2,4-Dichlorophenoxyacetic Acid	
Isooctyl ester of Silvex 2-(2,4,5-trichlorophenoxy)	
Propionic Acid.....	2.05%
Equivalent to 1.45% 2-(2,4,5-trichlorophenoxy)	
Propionic Acid	

INERT INGREDIENTS:	96.19%
(Other than Herbicidal) Total	100.00%

GRANULAR LAWN WEED KILLER

GRANULAR LAWN WEED KILLER is a powerful, fast acting 2,4-D plus Silvex that has proven to be very successful for the control of not only the common lawn weeds such as ~~annuals~~, ~~burdock~~, ~~sheep-sorrel~~, ~~sheep~~, ~~pig-weed~~, ~~buckhorn~~, ~~plantain~~, and other broadleaf weeds, but also the more persistent prostrate broadleaf lawn weeds as follows:

~~Common Chickweed~~
~~Mouse-ear chickweed~~
~~Red Clover~~

~~Knotted-weed~~
~~Ground Ivy~~
~~Spotted-George~~

DIRECTIONS FOR USE

Granular Lawn Weed Killer can be used in the spring, summer, or fall. However, the best results are obtained when the weeds are growing vigorously. When using this product strive to distribute it uniformly and to retain the granules on the leaves of weeds. The following suggestions will assist:

Apply between mowings to provide sufficient leaf surface to be treated. Sprinkle lawn prior to application or apply after a light rainfall. Delay application when rain is predicted. Do not water lawn for 24 hours after application. Avoid application on windy days to avoid drift to surrounding plants. Do not treat newly seeded lawns until grasses are well established or at least until after third mowing. This product may injure Bentgrass, St. Augustine Grass, and Carpet Grass. In some areas, therefore, do not use on turf lawns where these grasses predominate.

SUGGESTED SPREADER SETTINGS

Hubbard-Hall Model 3450	No. 2
Hubbard-Hall Model 3	No. 2.5
and Reemay	No. 8
Scott's	No. 6
Jackson	No. 5

If using a spreader not listed above, adjust spreader openings to approximately 1/16". To test your spreader setting apply 1 lb. to 150 square feet. (50' x 3') area.

continued

BACK PANEL COPY

These suggestions are for your guidance in spreading, and are in no sense a guarantee of exact application. Age, condition of spreader, speed of operation and roughness of terrain can cause variations in the rates applied.

CAUTION

Avoid contact with skin, eyes or clothing. Avoid inhaling dust. Do not contaminate food stuffs. Wash hands after using. Avoid drift to susceptible plants as this product may injure grapes, tomatoes, beans, peas, other vegetables, etc. Vapors from this product may injure susceptible plants in the immediate vicinity. Because of danger of contamination, do not use spreader for purpose other than applications to lawn. Do not re-use shipping containers, destroy by crushing.

CONDITIONS OF SALE

The seller guarantees the material sold to be true to the label. Further than that, it makes no representation or warranty, and it shall not be held responsible for any injury to crop, soil, person or property, resulting from the use or handling of said material, whether used in accordance with directions or not. The buyer and/or user accepts this material subject to the above conditions of sale.

KEPR-LEGEE CHEMICAL CORP.

Oklahoma City, Oklahoma

U.S.P.A. Registration No. 9130-

Printed in U.S.A.

Made in U.S.A.