


NET WT. 50 LBS. URF'N TREE FOOD with INSECT CONTRO

JUARAN	HINALYSIE
Total Mitro - naN	1000
36% Water Position	. Is three from a combination
of creatorn nation.	List tar hage and a divated studies
Available Principle of	: ATIO FITH 6.00 1
Soluble Potential Roll	4.00%
Potential Edid'y en	ALLON OF THE CONTROL CONTROL CO.
Ignare (et l.)	

KERR MIGET CHEMICAL CORF



T.M.

CONTROLS JAPANESE BEETLE GRUBS, ANTS, SOD WEBWORMS AND SERTAIN OTHER LAWN INSECTS.

FEEDS LAWNS ALL SEASON LONG
ONE OF THE NITROGEN IS ORGANIC
EXCLUSIVE CONTROLLED RELEASE
FORMULA CONTAINS LONG LASTING
HATURAL ORGANICS PLUS UREA-FORM

CAUTION

KEEP OUT OF REACH OF CHILDREN (NOTE OTHER CAUTIONS ON THIS LABEL)

ingredient Statement as	Insecticide
AUTNE HOHEDIENT	E: WT.
Practice and I have a	416
*Edit**: 14	97.30%
TO AL	100.67
TRUST of the Control	

3/27/12



INSECT CONTROL

The second second second second second

.

FEEDING THEN JOE

1.20/20

191 - 221

CAUTTON

Avoid inhalation and contact with skin. Avoid contamination of feed and food stuffs. Do not apply to soil beneath fruit trees when fruit is present.

Keep children and pets off treated areas until chemical is washed into the soil and thoroughly dry.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may
be killed. Keep out of any body of water.
Do not apply where runoff is likely to
occor. Do not contaminate water by
cleaning of equipment or assessed of
wastes. Apply this product of wastes.

TATAINER DISPERSE

is the second container the co

Fall at the rate of 10 lbs. per 1.000 square feet, Use a lawn spreade pest results. Everlably, less than shreade slightly to avoid skips. It is a shreader a. Around Water lawn with the rate?

311

Engine a significant

ន្ទឹ Mode:	Setting	3
Barrier Charles Constant		*
g e charch	• .	Į,
		\$
ĥĝ		
		*
5 2		, i
7	·.	
	•	

Avoid innaiation and contact with skin.

Avoid contamination of feed and food stuffs. Do not apply to soil beneath fruit trees when fruit is present.

Keep children and pets off treated areas until chemical is washed into the soil and thoroughly dry.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wild-life. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DONTAINER DISPOSAL

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

