



FASCO

Net Contents
50 Pounds

TOXAPHENE-SULPHUR DUST 20-40

Product No.
20-779641

FASCO TOXAPHENE-SULPHUR DUST 20-40 is an insecticidal composition containing 20% Toxaphene insecticide and 40% Sulphur designed for use on cotton and soybeans. It may be applied by ground equipment or by plane.

DIRECTIONS:

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

COTTON—Against Boll Weevil, Cotton Bollworm, Leafworm, Fleahopper and to suppress Spider Mites use from 10 to 15 pounds of dust per acre. Start dusting at the rate of 10 to 12 pounds per acre and increase rate higher later in the season, depending upon plant growth and degree of infestation. Against grasshoppers, apply 20 pounds per acre. Do not apply over 20 lbs. per acre on cotton. Do not feed treated cotton trash to dairy animals or animals being finished for slaughter, nor graze such animals on cotton receiving late applications of this dust.

SOYBEANS—Against Armyworms, Bean leaf beetle, Blister beetle, corn earworm, Flea beetle, Grasshoppers, Green cloverworm, Velvetbean caterpillar, and Thrips; use 10 to 15 pounds per acre. Commence dusting when insects first appear and repeat as needed. Do not exceed 20 pounds per acre. Do not apply within 21 days of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

CAUTION: Keep Out of the Reach of Children. See additional cautions on this label.

ACTIVE INGREDIENTS	BY WT.
Toxaphene (Chlorinated Camphene) (Chlorine Content 67% to 69%)	20.0%
Sulphur as S	40.0%
INERT INGREDIENTS	40.0%
	<hr/>
TOTAL	100.0%

NOTE: Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wild life. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift of dust from areas treated. Birds feeding on treated areas may be killed. Containers should be disposed of by burning (stay out of smoke and fumes).

CAUTION

Harmful if swallowed or inhaled. Do not breathe dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after using this product before eating or smoking. Do not contaminate feed or foodstuffs. Keep away from children and domestic animals. To protect pastured animals and food crops in adjacent fields, avoid drift.

Sulphur may burn foliage when temperature is high. Do not make sulphur applications at such times.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

SPAT 1 A