

FORMULA SHEET

SEE DCW CHEMICAL COMPANY - U.S.D.A. REG. NO.
464-146

2242-818

ACCEPTED WITH COMMENTS

RECEIVED JUL 11 1968

NET WEIGHT 20 POUNDS
COVERS 5,000 SQUARE FEET

2'n1 WEED & FEED 10-6-4 with Silvex and 2,4-D

MINIMUM GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) 10%
Available Phosphoric Acid (P_2O_5) 6%
Soluble Potash (K_2O) 4%
Potential acidity: 700 pounds Calcium Carbonate
per ton.



MANUFACTURED FOR
KERR-MCGEE CHEMICAL CORPORATION
OKLAHOMA CITY, OKLAHOMA

DIRECTIONS FOR USE

EFFECTIVE BROADLEAF WEED CONTROL - Kills broadleaf weeds such as dandelion, buckhorn plantain, chickweed, clover, ground ivy, henbit, black medic, cinquefoil, knotweed, poison ivy and thistle.

SAFE FOR ESTABLISHED LAWNS - Will not harm most lawn grasses. Some grasses may brown slightly, but will recover quickly, especially if watered well when browning is noticed.

SPREADER SETTINGS

Lawn Beauty	5	Queen Turf	5
MTD	5	Scott	4 1/2
Cyclone	4	Sears	6

NOTE - Above spreader settings are approximate. Check your spreader on 100 square feet and adjust to apply 6 pounds per 100 square feet. Rate of walk, moisture and spreader condition can vary the spreader settings necessary to apply the correct amount.

When applying with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

The best time to destroy weeds is when they are young and before they crowd out grass. Apply when weeds are in the early growth stage at the rate of 4 pounds per 1,000 square feet.

Apply to lawns only. Do not use on roads, driveways, sidewalks, etc. Do not use on ornamental plants, shrubs, trees, etc. Do not use on lawns that are dormant or dead.

Treat new lawns only after 2nd or 3rd mowing.

Do not apply to creeping grass, such as Bent Grass.

Do not mow, water or make heavy use of lawn for at least 24 hours after application.

NOTE: Vapors from this product may injure susceptible plants in the immediate vicinity. Bent grass, St. Augustine grass, Dichondra, Carpet grass, or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables.

CONTAINER DISPOSAL

Do not re-use container. Destroy when empty.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CAUTION - KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes. If contact occurs, flush eyes with water for 15 minutes. Do not eat, drink or smoke while using this product. Wash hands thoroughly after use. Do not use if you are pregnant or nursing.

DIRECTIONS FOR USE

EFFECTIVE BROADLEAF WEED CONTROL - kills broadleaf weeds such as dandelion, burdock, plantain, chickweed, clover, ground ivy, henbit, black medic, cinquefoil, knotweed, poison ivy and thistle.

SAFE FOR ESTABLISHED LAWNS - will not harm most lawn grasses. Some grasses may brown slightly but will recover quickly, especially if watered well when browning is noticed.

SPREADER SETTINGS

Lawn Beauty	5	Queen Turt	5
MTD	5	Scott	4 1/2
Cyclone	4	Sears	6

NOTE - above spreader settings are approximate. Check your spreader on 100 square feet and adjust to apply 6 pounds per 100 square feet. Rate of walk, moisture and spreader condition can vary the spreader settings necessary to apply the correct amount.

When applying with a spinner type spreader, use extreme caution not to apply too close to desirable plants.

The best time to destroy weeds is when they are young, and before they crowd out good grasses. Apply when weeds are in active growth, at the rate of 4 pounds per 1000 square feet on established lawn.

Apply in Spring and Early Fall when ground moisture is adequate for better weed control. During dry weather, water lawn thoroughly 24 hours prior to application.

For persistent weeds, when weeds reappear or if a heavy rain follows within 7 days after application, a second application may be necessary.

Treat new lawns only after 2nd or 3rd mowing.

Do not apply to creeping grass, such as Bent Grass.

Do not mow, water or make heavy use of lawn for at least 24 hours after application.

NOTE: Vapors from this product may injure susceptible plants in the immediate vicinity. Bent grass, St. Augustine grass, Dichondra, Carpet grass, or clover may be injured. Avoid drift to susceptible plants as this product may injure flowers, ornamentals and vegetables.

CONTAINER DISPOSAL


Do not re-use container. Destroy when empty.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when the product is used as directed. THERE ARE NO WARRANTIES INCLUDING MERCHANTABILITY WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. The manufacturer shall in no event be liable for consequential damages. Read all directions carefully.



**CAUTION: MAY BE HARMFUL IF INHALED.
CAUSES IRRITATION.**

KEEP OUT OF REACH OF CHILDREN

Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Do not store near fertilizer, seeds, insecticides or fungicides. Keep out of reach of children and pets. Clean spreader thoroughly after use.

EPA Reg. No. 2342-918

18 SEP 1974
RECEIVED
FBI - NEW YORK