

A SCIT of the second of the second se

Windle On the 10 - Months of toucher products. There associated with anticheline storage activity vital may multiple weakness, blurred vision, headach to a many, or being a paint of a fart in the chest, constriction of papils, becating, of a palse, excle treases.

TARABLET - Air pi e subplicts shoull it use? For treatment. Advil octor rejects? Spec. 1.2 to 2.7 of fattice woully every 10 to 30 moster until cult atto-afactl a fractioner. Laintain etropialization with the jutical recovers. Artificial respiration or only, a try be accessary. Allow no further exposure to any setts cholinesters e incillicers cut I recovery is assured. Do not use corpline or 2-.11.

2.2.4. 350, No.

BEST DOCUMENT AVAILABLE





LAWN SPRAY

Directions: For Armyworms, Sod Webworms, Ants. Fleas, Red Bugs (Chiggers), Mole Crickets, White Grubs, Earwigs, apply 1 pint in 15 to 20 gallons of water per 1000 square feet. A lawn type hose end sprayer designed to apply 15 to 20 gallons of diluted spray to empty a quart jar may be used for easy application. Mix 1 pint Lawn Spray and 1 pint water in the quart jar and spray contents of jar over 1000 square feet. Repeat as needed

NOTE: Do not use on animals. Do not spray or allow to drift onto edible crops. Keep children and pets off treated areas until this material is washed into the soil.

PRECAUTIONARY INFORMATION: WARNING! Harmful If swellowed, inhaled or absorbed through skin. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or spray mist. Keep container closed. Use with adequate ventilation. Avoid contamination of feed and foodstuffs. Do not use, pour, spill or store near heat or open flame. Wash thoroughly after handling and before eating or smoking. Wear clean _ othing.

FIRST AID: If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear Call a physician. Never give anything by

mouth to an unconscious person. If Inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician, in case of contact, mmediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse.

DANGER TO FISH AND WILDLIFE: This product is poisonous to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be harmed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully

CONTAINER DISPOSAL: Do not re-use the container, Destroy when empty by burying with wastes well away from water supplies or by burning. Stay out of smoke and furnes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

FOR USE IN FLORIDA ONLY

Revision B

M-10-73-W

Product No. 746622

91