

FRONT PANEL

FASCO

RESTRICTED USE PESTICIDE -- 18 pt.

For retail sale to and application only by certified applicators or persons under their direct supervision.

EPN-Methyl Parathion 3-3 EC

ACTIVE INGREDIENT	BY WEIGHT
O-ethyl O-p-nitrophenyl phenylphosphonothioate.	31.40%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	31.40%
Xylene range solvent	19.21%
INERT INGREDIENTS	17.99%

This product contains 3 pounds EPN and 3 pounds of methyl parathion per gallon.


12 pt. --KEEP OUT OF REACH OF CHILDREN

18 pt. -- DANGER



CAN KILL YOU

POISON -- 18 pt.



STATEMENT OF PRACTICAL TREATMENT

Call physician at once in all cases of suspected poisoning. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to this product and describe his condition. If inhaled, remove to fresh air. If not breathing, start artificial respiration immediately and maintain until doctor sees victim. If breathing is difficult, give oxygen.

2345-178

14

FRONT PANEL (continued)

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

See side panel for additional precautionary statements.

NET WEIGHT _____ GALLONS
Product No. _____

Manufactured by
Kerr-McGee Chemical Corporation
Oklahoma City, Oklahoma

LEFT PANEL
PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS-DANGER! POISON! Poisonous if swallowed, inhaled or absorbed through skin.

Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Use only with adequate ventilation. If handled indoors provide mechanical exhaust ventilation. Keep container closed. Do not contaminate feed or foodstuffs. Store away from feed and foodstuffs. Wash thoroughly after handling. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

POISON SIGNS (Symptoms)

This product is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote--administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

1542-770

LEFT PANEL (continued)

ENVIRONMENTAL HAZARDS

FISH AND WILDLIFE -- This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate any body of water by direct application and cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

BEES -- This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS -- Combustible. Do not use or store near heat or open flame.

Revision A

EPA Est. 2342-FL-1

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read the label before using.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital-- immediately. Explain that the victim has been exposed to this product and describe his condition. After first aid is given (see Statement of Practical Treatment) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

AIR APPLICATION -- Use specified amount of this product in 1 to 10 gallons water per acre.

GROUND APPLICATION -- Use specified amount of this product in 5 to 10 gallons water per acre (low volume), 50 to 100 gallons water per acre (high volume).

COTTON -- To control Aphids, Boll Weevils, Cotton Leafworms, Fleahoppers, Thrips, Grasshoppers, Lygus Bugs, use 2/3 to 1 1/3 pints per acre.

2

2342 116

16

To control Bollworms and Tobacco Budworms use 1 1/3 pints per acre. Apply on a 5-day schedule when infestation is first observed, shorten interval to 3 days when large numbers of worm eggs and small worms are present in a field.

STORAGE AND DISPOSAL -- 18 pt.

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

CONDITIONS OF SALE -- All statements concerning the use of this product apply only when the product is used as directed. THERE ARE NO WARRANTIES INCLUDING MERCHANTABILITY WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. The manufacturer shall in no event be liable for consequential damages. Read all directions carefully.

EPA Reg. No. 2342-

K-X-X-X

9