

[Available through Veterinarians]

# ZOECON RF-20 HOUSE & KENNEL FOGGER

Kills Roaches, Ants, Ticks,  
Fleas, Flying Moths, Spiders, Scorpions  
[in areas up to 10,000 cu.ft.]

For Apartments, Homes or Buildings  
Up to 10,000 cu.ft.

Entire Contents Released from One Spot  
Fog Penetrates Throughout [Enclosed] Area

**ACTIVE INGREDIENTS:**

[O,O-Dimethyl O-(2,4,5-Trichloro-phenyl) Phosphorothioate].....	2.00%
(2,2-dichlorovinyl dimethyl phosphate).....	0.47%
Related Compounds.....	0.03%
<b>INERT INGREDIENTS:</b> .....	<b>97.50%</b>

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional precautionary statements

**NET WEIGHT: 12 oz. (340g)**

RECEIVED  
 MAY 5 1983  
 Federal Insecticide,  
 Fungicide & Rodenticide  
 Act  
 EPA Reg. No. 2724-201

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:** Harmful if swallowed. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating or smoking.

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call a physician immediately.

**PHYSICAL & CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

**DIRECTIONS FOR USE -** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not contaminate feed, water or foodstuffs. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using fogger in these areas, apply only when the facility is not in operation.

For use only when building is vacated by humans and pets.

Use at least one canister for each 10,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of air is not assured.

**IMPORTANT:** Fogger must be placed on table, chair or stand when releasing. Place newspapers under canister to prevent marring surface. Close doors and windows. Remove pets. Cover fish tanks or bowls with paper or remove. Do not use with freshly waxed floors, allow 3 weeks for wax to harden as this product may cause fresh wax to become softened. Some plastics may be affected. Remove or cover plastic items such as eyeglasses, stereo covers and notion boxes. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Place at least 6 feet away from pilot light. Keep at arm's length when releasing. Point top of can away from face and eyes.

Press down actuator tab to lock in position to start fogging action. Set in upright position and leave the building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 30 minutes.

**STORAGE & DISPOSAL** Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-201

EPA Est. No. 2312A:0047A

1282-B

Zoecon Industries  
12200 Denton Drive, Dallas, Texas 75234