

7032-2-E

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
CAUTION**

Avoid contamination of food or foodstuffs. Avoid breathing spray mist. Avoid prolonged contact. Avoid contact with eyes, skin or clothing. Vapor or spray may be absorbed through the skin. Harmful if swallowed. Wash hands thoroughly after using and before eating or smoking.

Do not use on dairy animals, household pets or humans.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPRAYING OR DIPPING

FOR SARCOPTIC MANGE, LICE, FLEAS OR TICKS ON SWINE, SHEEP AND BEEF CATTLE - Mix 8 ounces in 12 1/2 to 20 gallons of water; or 1 ounce in 1 1/2 to 2 1/2 gallons of water; or 1 tablespoonful in 1 gallon of water. Cover animals thoroughly including inside of ears. Spray the premises and animals to control fleas. Do not treat animals under three months of age. Use the higher dilution for treating young animals. Do not treat sows within two weeks of farrowing nor for at least three weeks thereafter. Avoid treating animals in cold, stormy weather. Avoid treating overheated or sick animals. Do not treat animals later than 60 days before slaughter for human consumption.

Water animals prior to being dipped to avoid animal's drinking of the emulsion.

Discard the emulsion when it becomes too fouled for use, or depleted of active ingredient.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water by disposal of used dip solution. Do not reuse empty container; wrap with newspaper and put in trash collection.

EPA Reg. No. 2382-11
EPA EST 2382-1M-1

Lot No.

**KILLS
SARCOPTIC
MANGE MITES
LICE-FLEAS
TICKS**

HEX
DIP or SPRAY

FOR SWINE, SHEEP AND BEEF CATTLE

Active Ingredients:	Wt./Wt.
Gamma isomer of Benzene hexachloride (from Lindane)	11.00%
Aromatic petroleum distillate solvent	85.18%
Inert Ingredients	3.82%
	100.00%

Sold Only By Graduate Veterinarians

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING**; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victims to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED 1 Gal.

MAY 5 1988

U.S. Federal Insecticide, Fungicide, and Rodenticide Act registered under EPA Reg. No. 2382-11

CARSON CHEMICALS, INC.
New Castle, Indiana 47362
Made in U.S.A.