

2-302-22
 U.S. DEPARTMENT OF AGRICULTURE
 OFFICE OF PEST CONTROL
 WASHINGTON, D.C.

See front panel for additional warnings.
 stormy weather. Avoid treating overheated or sick animals.
 farrowing nor for at least 3 weeks thereafter. Avoid treating animals in cold,
 young animals less than 3 months of age. Do not treat sows within 2 weeks of
 lindane (1 pound of powder to each 100 gallons of water). Do not apply to
 of slaughter. Do not treat young animals with a concentration in excess of 0.03%
WARNING: Do not spray within 30 days of slaughter. Do not dip within 60 days
 necessary.

10 days to 2 weeks if necessary. For ticks, use same concentration and repeat as
 spray add 1 lb. of powder. Spray each animal thoroughly, repeating treatment in
 Beef Cattle and Hogs — To treat Sarcoptic mange and lice. To each 50 gallons of
 Do not dip animals within 60 days of slaughter.

momentarily beneath the surface at least twice. Keep the dip agitated.
 Each animal should be held in the dip not less than 1 minute forcing the head
 The quantity of water in the tank should be sufficient to submerge the animals.

permit concentration of lindane dip to exceed 0.06%.
 oz. of powder per 100 gallons of water. Use reliable vat-side tests and do not
 as 200 gallons or when it becomes dirty, recharge it at the rate of 2 lbs. and 3
 of water, add 2 pounds of powder. When the dipping tank is depleted as much
 erably in a tank having a capacity of 800 to 1,000 gallons. To each 100 gallons
 Sheep—To dip and treat scabies. Use clean water of not more than 80 °F., pref-

DIRECTIONS FOR USE:

LINDANE 25% WETTABLE POWDER
FOR THE TREATMENT OF SARCOPTIC MANGE AND LICE

Active Ingredients:	
Lindane (Gamma isomer of benzene hexachloride)	25%
Inert Ingredients	75%
	100%

WARNING

KEEP OUT OF REACH OF CHILDREN

WARNING: Do not use on lactating dairy animals or on dogs, cats or other household pets or humans nor on poultry or in poultry houses, or dairy barns. Do not reuse container. Destroy when empty.

WARNING: May be fatal if swallowed. Do not breathe dust or spray mist. Vapor or spray may be absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water. If taken internally, use emetic of mustard. Call physician immediately. Avoid contamination of feed or foodstuffs.

WARNING: This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

See back panel for additional warnings.

U.S.D.A. REG. NO. 2382-22

NET WT. 16 OZ. (1 LB.)

Packaged by:
CARSON CHEMICALS, INC. — NEW CASTLE, INDIANA 47362