

7038-B

**DIRECTIONS:** Apply to the moist skin with swab or brush following a soap bath and rinse. Bathe the animal twenty-four hours later.

In sarcoptic mange and demodectic mange repeat after a week, if necessary. Since demodectic mange is difficult to diagnose and often requires prolonged treatment and may involve other factors such as diet, treatment should be done by or under veterinary directions.

**NOTE:** Mangex is more effective if parasitized areas are clipped before treatment is applied.

**WARNING:** Never apply this product to more than the equivalent of 1/3 the body area at one time. When necessary, treat extensive areas on alternate days. Do not use on cats.

**CAUTION:** Wash hands thoroughly with soap and warm water after handling. Avoid contamination of feed and foods. Avoid contact with eyes. Excessive use may cause nausea and depression. If such occurs, discontinue use. Harmful if swallowed. Irritating to eyes.

EPA Reg. No. 2382-38

EPA EST. 2382-IN-1

Lot No.

GREASELESS

TREATMENT

**MANGEX**

**ACCEPTED**  
JUN 24 1976  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2382-38

**A NON-STAINING, GREASELESS TREATMENT FOR SARCOPTIC MANGE AND DEMODECTIC MANGE IN DOGS.**

Active Ingredients:	w/w
Benzyl benzoate . . . . .	.33.0 %
Soap (anhydrous) . . . . .	7.5 %
Inert Ingredients . . . . .	.59.5 %
Total	<u>100.00%</u>

Sold Only By Graduate Veterinarians

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS**

**8 fl. oz.**

**CARSON CHEMICALS, INC.**  
New Castle, Indiana 47362  
Made in U.S.A.