

7025-C

**DIRECTIONS:** Hold can upright and spray pet from a distance of 12 inches. Spray contents in circular motion for a more even coverage of coat. Continue spraying until tips of hair are moist. Work "Spray" into skin of pet. Spray directly on ticks. Repeat treatment as necessary but not more often than once weekly. Use on bedding, floors and surrounding areas as needed.

**CAUTION TO HUMANS:** Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use.

Note to Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

**CAUTION:** Do not treat puppies and kittens less than 4 weeks of age. Do not spray in eyes of pets. In case of accidental spraying in eyes, flush out with water. Avoid contamination of feed and foodstuffs.

**WARNING:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 degrees Fahrenheit may cause bursting. Never throw container into fire or incinerator.

Sold To Graduate Veterinarians Only

EPA Reg. No. 2382-64-6480  
EPA EST. 2382-IN-1

Lot No.



# paracide with sevin\*

FOR USE ON DOGS OR CATS

Kills Ticks & Fleas      Residual  
Repels Flies              Deodorizes

<b>Active Ingredients:</b>	
Carbaryl (1-Naphthyl N-Methylcarbamate).....	1.00%
2,2'-Methylenebis (4-chlorophenol).....	0.10%
Pyrethrins.....	0.06%
Piperonyl Butoxide, Technical**...	0.60%
Butoxypropylene glycol.....	5.00%
Inert Ingredients.....	93.24%

\*Trade Mark of Union Carbide Corporation for Carbaryl (1-Naphthyl N-Methylcarbamate).  
\*\*Equivalent to .48% (butylcarbityl) (6-propylpiperonyl) ether and .12% related compounds.

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
See Back Panel For Additional Cautions

**Net Wt. 12 oz.**

Manufactured for:

**W. A. BUTLER COMPANY**  
COLUMBUS, OHIO 43228

