

C R. P. T. F.

1976

BCILATE BO UNDER


the Federal Unsecticide Acts DIRECTIONS: From a distance of 6 to 12 inches, direct the spray over the animal until the entire coat is damp. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly. D-F-T Spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents. Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable. We recommend the use of Carson's Fogging Dispenser for controlling flea, tick, fly or mosquito infestations in your home or kennel.

> CAUTION TO HUMANS: Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying. Discard bottle when empty.

> WARNING: Flammable! Keep away from heat or open flame.

CAUTION: Do not treat kittens and puppies less than 4 weeks of age. Use sparingly and cautiously on immature animals. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult veterinarian at first sign of adverse reaction.

> E P A Reg. No. 2382-68 E P A EŠT. 2382-IN-1 SOLD ONLY BY GRADUATE VETERINARIANS



CARSON CHEMICALS. INC New Castle, Indiana 47362 Mede in U.S.A.