

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

Do not treat kittens and puppies under 4 weeks of age. Some cats may be sensitive to D-F-T SPRAY. Do not exceed recommended dose. Do not spray directly on kittens or puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinergic inhibiting drugs, pesticides, or chemicals. Administer an antidote. Consult veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink at least 2 glasses of water and induce vomiting by touching finger to back of throat or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash off with soap and water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Keep away from heat or open flame.

STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Flammable. Keep away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

Lot No. on bottom of container.

Carson

D-F-T

SPRAY

KILLS • REPELS • DEODORIZES

FLEA & TICK KILLER DEODORANT SPRAY For Use On Dogs & Cats

KILLS - Ticks, Fleas, Lice and especially designed for the control of resistant brown dog ticks.

REPELS - Gnats, Mosquitoes, Flies.

DEODORIZES - Imparts a Clean, Fresh Aroma.

ACTIVE INGREDIENTS

Carbaryl (1 Naphthyl N Methyl

Carbamate)

2.50%

Butoxy polypropylene glycol

5.00%

INERT INGREDIENTS

92.50%

100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

16 fl. oz. (1 pt.)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Rotate nozzle 1/4 turn to spray position and squeeze trigger to initiate a fine mist spray. (Close nozzle after use to avoid loss of product.) Spray at a distance of 8 to 12 inches by squeezing trigger repeatedly and rapidly.

FOR KITTENS AND PUPPIES (over 4 weeks old)

Wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary but not more often than once weekly.

FOR DOGS AND CATS - or Puppies under 4 weeks of age. Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. Do not use on pregnant dogs. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly.

This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleach may agents are oxidizing agents.

Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

EPA Reg No. 2382 68

EPA Est. No. 2382 IN 1

Sold Only By Veterinarians

7040-1-M

Made in U.S.A. by
Carson Chemicals, Inc.
New Castle, Indiana 47362-0466

BEST AVAILABLE COPY

ACCEPTED
JUN 23 1987
Use this product in accordance with the pesticide label.
Do not use this product under
EPA Reg. No. 2382-68