

7044-1E

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)**

**CAUTION**

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying. Do not treat kittens and puppies under 4 weeks of age. Some cats may be sensitive to PARID-X Spray with Carbaryl. Do not exceed recommended dose. Do not spray directly on kittens or puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on an animal simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Auspored is antifungal. Consult veterinarian at first sign of adverse reaction.

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed Call a physician or Poison Control Center. Drink at least 2 glasses of water and induce vomiting by touching finger to back of throat or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.  
**If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists.  
**If On Skin:** Wash off with soap and water.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

**FLAMMABLE** Keep away from heat or open flame.

**STORAGE AND DISPOSAL DIRECTIONS**

**STORAGE:** Flammable. Keep away from heat or open flame.  
**DISPOSAL:** Do not contaminate water, feed, or food by storage or disposal. Do not reuse empty container. Rinses container thoroughly, securely wrap in several layers of newspaper and discard in trash.

Let No. 0 at bottom of container

KILLS-REPELS  
CONDITIONS  
DEODORIZES

**PARID-X<sup>TM</sup>**  
SPRAY  
with  
CARBARYL

(TRIGGER SPRAYER)

**FOR CATS KITTENS PUPPIES DOGS HORSES PONIES**  
**KILLS & REPELS:** Flea, Flea Lice, Stable Fly, Horse Fly, Hornfly,  
 Face Fly, Horse Fly, Deer Fly, Bat Fly, Mosquito and Gnat  
**CONDITIONS:** Itch, Impaction, Constipation, Ear & Hoof Sores  
**DEODORIZES:** Fungus, Hyperderma, Lotion, a deodorizing agent.

**ACTIVE INGREDIENTS**

Picaridin	8.0%
Techmecidin (Permethrin)	1.00%
Carbaryl (Bicyclopropyl Methoxycarbamate)	1.00%
Betanaphthalimide Diethyl	0.60%
INERT INGREDIENTS	81.32%

\*Equivalent to 1.64% (bicyclopropyl-methoxy-carbamate) other and 20% related compounds.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

**16 fl. oz. (1 pt.)**

**CARSON CHEMICALS INC.**  
New Castle, Indiana 47342  
Phone - 333-5514

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove nozzle cap from trigger sprayer by rotating tab to up position and pressing away from nozzle. Retain nozzle cap and reapply between uses. Spray at a distance of 8 to 12 inches by squeezing trigger repeatedly and rapidly.

**FOR KITTENS AND PUPPIES (over 6 weeks old)**

Wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary but not more often than once weekly.

**FOR DOGS AND CATS**

Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly. This spray may discolor the coat of white coated animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents. Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

**FOR HORSES AND PONIES**

Remove excess dirt and dust by brushing coat. Apply spray directly to horse's coat giving particular attention to leg, shoulders, flanks, neck, and tailpipe. To treat face, dampen a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary. Not to be used on animals intended for slaughter.

Sold Only By Graduate Veterinarians  
 EPA Reg. No. 2302-73  
 EPA EST. 23021K-1

**ACT. ING'D.**  
Picaridin  
1.00%

1.00%

0.60%

DATE 10-14-14 BY 10-14-15

2382-73

**BEST DOCUMENT AVAILABLE**

FEB 15 1984

Mr. C. B. Burns  
Carson Chemicals, Inc.  
P.O. Box 466  
New Castle, IN 47362

Dear Mr. Burns:

Subject: Carbaryl Flea Spray  
EPA Registration No. 2382-73  
Parad-X Spray with Carbaryl  
EPA Registration No. 2382-82  
Your Submissions Dated January 16, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

DCR-28470:Ellenberger:2/6/84:RD-01:CH#2:Rm.217:557-2380:del.2/23/84:pac

BEST DOCUMENT AVAILABLE

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							