

7026-1-A

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
CAUTION**

Avoid contact with skin. Harmful if swallowed or inhaled. Avoid contamination of foodstuffs. Wash hands after applying.
Some cats may be sensitive to Parid Bomb Plus Spray. Do not exceed recommended dose. Do not spray kittens and puppies. For kittens or puppies over 4 weeks of age, wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult veterinarian at first sign of adverse reaction.

Statement of Practical Treatment
If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.
If On Skin: Remove contaminated clothing and wash with soap and water.
If In Eyes: Flush eyes with plenty of water.

PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE! Avoid spraying in eyes. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake bomb well. Holding the bomb upright, point nozzle opening in direction spray is desired. Release spray by depressing valve. From a distance of 6 to 12 inches, direct spray over the animal until the entire coat is damp. A 30 to 45 second application is usually sufficient to treat an average sized dog; for cats, 10 seconds. On heavily coated animals, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly. This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents. Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Flammable. Keep away from heat or open flame.
DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Sold Only By Graduate Veterinarians
EPA Reg. No. 2382-74
EPA EST. 2382-IN-1

Lot No.

3 0 1330
2382-74



FOR USE ON DOGS OR CATS

KILLS - Ticks, Fleas, Lice and especially designed for the control of resistant brown dog ticks.

REPELS - Gnats, Mosquitoes, Flies.

DEODORIZES - Imparts a clean, Fresh Aroma.

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-Methylcarbamate)	2.50%
Pyrethrins	0.06%
Piperonyl butoxide, technical*	0.60%
Butoxypolypropylene glycol	5.00%
INERT INGREDIENTS	91.84%
	100.00%

*Equivalent to .48% (butylcarbityl) (6-propyl-piperonyl) ether and .12% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Wt. 13 oz.

PARSON CHEMICALS INC
New Castle, Indiana 47362
Made in U.S.A.