

PM 12  
2-282-74

1901

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**  
Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying.

Do not treat kittens and puppies under 4 weeks of age. Some cats may be sensitive to Parid Plus Pressurized Spray. Do not exceed recommended dose. Do not spray kittens and puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult veterinarian at first sign of adverse reaction.

**STATEMENT OF PRACTICAL TREATMENT**

**If Swallowed:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.  
**If On Skin:** Remove contaminated clothing and wash with soap and water.  
**If In Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICALS HAZARDS**

**FLAMMABLE!** Avoid spraying in eyes. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting.

**STORAGE AND DISPOSAL DIRECTIONS**

**STORAGE:** Flammable! Do not use or store near fire, sparks, or flame.  
**DISPOSAL:** Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

Lot No. on bottom of container.

Carso

**PARID PLUS PRESSURIZED SPRAY**

KILLS • REPELS • DEODORIZES

**FOR USE ON DOGS OR CATS**

**KILLS**—Ticks, Fleas, Lice and especially designed for the control of resistant Brown Dog Ticks.

**REPELS**—Gnats, Mosquitoes, Flies.

**DEODORIZES**—Imparts a clean, fresh aroma.

<b>ACTIVE INGREDIENTS:</b>	
Carbaryl (1-Naphthyl N-Methylcarbamate) . . . . .	2.50%
Pyrethrins . . . . .	0.06%
Piperonyl butoxide*, technical . . . . .	0.60%
Butoxypolypropylene glycol . . . . .	5.00%
<b>INERT INGREDIENTS . . . . .</b>	<b>91.84%</b>
	<b>100.00%</b>

\*Equivalent to .48% (butylcarbityl) (6-propyl-piperonyl) ether and .12% related compounds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

Net Wt. 13 oz.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling **FOR KITTENS AND PUPPIES (over 4 weeks old)**

Wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary but not more often than once weekly.

**FOR DOGS AND CATS**

Shake container well. Holding upright, point nozzle opening in direction spray is desired. Release spray by depressing valve. From a distance of 6 to 12 inches, direct spray over the animal until the entire coat is damp. Do not spray directly into face. Do not use on pregnant dogs. A 30 to 45 second application is usually sufficient to treat an average sized dog; for cats, 10 seconds. On heavily coated animals, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly. This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents.

Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

EPA Reg. No. 2382-74  
EPA Est. No. 2382-1N-1  
Sold Only By Veterinarians  
7020-1-D

Made in U.S.A. by  
Carson Chemicals, Inc.  
New Castle, Indiana 47362-0466

ACCEPTED  
NOV 22 1965  
EPA Reg. No. 2382-74

**COMPANY  
NUMBER**

**2548**

**PRODUCT  
SERIAL NO.**

**4**

**LABEL  
APPROVAL  
DATE**

**6-14-88**

14 JUN 1988

Mr. Carl Snider  
Research Products Company  
P.O. Box 1460  
Salina, KS 67402-1460

Dear Mr. Snider:

Subject: Max Kill Contacts-Cide 1  
EPA Registration No. 2548-4  
Your Letter Dated November 30, 1987

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, changing the declaration of petroleum distillate from active to inert and updating the label, is acceptable subject to the comments listed below. A stamped copy of the draft label is enclosed for your records.

1. The Confidential Statement of Formula (CSF) submitted with your letter of November 30, 1988 is obsolete. Enclosed you will find a copy of the current CSF form. This should be completed and submitted to complete the file for this product. Refer to the enclosure "Guide For Filling Out The Confidential Statement Of Formula Correctly."
2. Change the statement "Do not contaminate water by cleaning of equipment or disposal of wastes" to read "Do not contaminate water when disposing of equipment washwaters."
3. Add the footnote "Contains petroleum distillate" to the label ingredients statement.
4. Add the following statements to the Precautionary section of the label.

Do not apply as a space spray while food processing is underway. Foods should be removed or covered before treatment. After spraying, wash all surfaces which will contact food with a suitable detergent and rinse with potable water.

11274:I:Tavano:H-7:KENCO:4/26/88:5/3/88:SG:VO:EK:AM

CONCURRENCES

ORIGINATOR		CONCURRENCES						
SYMBOL	T5767							
SURNAME	Tavano							
DATE	5/23/88							

OFFICIAL FILE COPY

Submit five (5) copies of the finished printed label before the product is released for shipment under the revised labeling.

Sincerely yours,



Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

Reg no: 2548-4

PM - 17

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

**MAX KILL** 4 1988

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended, this pesticide is  
registered under EPA Reg. No.

Odorless **Contact Space Spray** *2548-4* **Stainless**  
**Quick Knockdown** **Ready To Use**

**PRECAUTIONARY STATEMENTS**  
**Hazards To Humans**  
**(and Domestic Animals)**

Irritating to skin and eyes.  
Do not get in the eyes.  
Avoid skin contact.  
Wash thoroughly with soap and water after using.  
Avoid inhalation of spray mist.  
Do not remain in treated areas. Contain the area after treatment is completed.  
Avoid contamination of cooking utensils, food ingredients, food and water supplies.  
Remove fish and birds and other domestic pets from room during spraying and keep out of room until spray is dry.  
Do not spray directly on pets, domestic livestock, especially dairy animals.  
Do not give as internal treatment to animals.  
Do not use in milk houses or dairy barns.  
Do not apply directly to food.  
Do not apply to food spraying while food processing is under way.  
With the exception of federally inspected meat and poultry plants, food processing operations do not have to be stopped while spraying a wall spray with care and in accordance with the directions and cautions indicated.  
Destroy any contaminated food, food or raw ingredients.

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Keep containers closed when not in use.  
Keep away from heat and open flame.

**STORAGE AND DISPOSAL**

1. PROHIBITIONS  
Do not contaminate water, food, or feed by storage or disposal.  
2. PESTICIDE DISPOSAL  
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
3. CONTAINER DISPOSAL  
Triple rinse or equivalent. Then offer for recycling or reconditioning, or sanitize and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.  
4. GENERAL  
Consult federal, state and local disposal authorities for approved procedures other than those given above. Applicable procedures vary considerably for different types of generators.  
5. EQUIVALENT METHOD TO TRIPLE RINSE  
Empty drums as completely as possible. Remove the bung and place the drums upside down until fumes have evaporated.

**Non Warranty**  
Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of the material at his/her own risk and is bound by the terms of the label and instructions.

**KILLS THE ACCESSIBLE STAGES ON CONTACT:**  
Granary Weevil, Rice Weevil, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Indian Meal Moth, Cigarette Beetle, Drug Store Beetle, Lesser Grain Borer, Flies, Cockroaches, Silverfish, Spiders, Ants, Crickets, Gnats, Mosquitoes, Hornets, Wasps, Mites.

**ACTIVE INGREDIENTS**  
Pyrethrins ..... 0.106%  
\*Piperonyl Butoxide, Technical ..... 1.0%  
**INERT INGREDIENTS ..... 98.894%**  
**TOTAL ..... 100%**  
\*Equivalent to .8% of (Butylcarbityl) (6-Propylpiperonyl) Ether and .2% of related compounds.

**EPA REG. NO. 2548-4**  
**EPA EST. NO. 2548-KS-1**

**KEEP OUT OF THE REACH OF CHILDREN**  
**CAUTION**

**Statement of Practical Treatment**

**IF SWALLOWED:** DO NOT INDUCE VOMITING. Seek medical aid. Aspiration of product into lungs due to vomiting, can cause chemical pneumonia which can be fatal. Contains petroleum distillates.  
**IF BREATHED:** If inhaled in heavy concentrations or if symptoms appear due to inhalation, remove to fresh air. Administer artificial respiration, oxygen, or cardiopulmonary resuscitation if needed.  
**IF ON SKIN:** Remove contaminated clothing. Wash with mild soap and water. Launder contaminated clothing if irritation occurs seek medical aid.  
**IF IN EYES:** Flush with large amounts of water for at least 15 minutes. If irritation persists, seek medical attention.  
See this panel for additional precautions.

**NET CONTENTS** **GALLONS**



MANUFACTURED BY  
**Research Products Company**  
DIV. OF McSHARES, INC.  
SALINA, KANSAS 67401

Sent to  
EPA 11/87

IT IS A VIOLATION  
MANNER INCONSISTENT

MAX KILL® Contact Space Spray is designed for use in the stages of the granary saw-toothed grain beetle, spray floors, ing areas throughout similar protected to removed and disinfecting spraying. Treat and EMPTY conveying loads of root after use, pick up conveyor machinery and cleaning. One gallon will

AS A PROTECTANT granary for the control of weevils, beetles, grain borers, and other insects, cracks, crevices are wet. A 1/2 gallon for complete square feet of non

WHEN USED AS A and seed storage on cockroaches, silverfish, use a mackerel Contacta-Cide® 1 doors and windows after total coverage.

WHEN USED AS A and one gallon for rice weevil control, grain borers and other insects. One gallon covers 2,000 cubic feet of space for 30 days.

WHEN USED AS A and one gallon for the control of the pest or insect in public food or drug stores closed for 3