

7045 1-A

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)  
CAUTION**

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhalation. Avoid contamination of food-stuffs. Wash hands after applying. Discard bottle when empty.

Some cats may be sensitive to D-F-T SPRAY PLUS. Do not exceed recommended dose. Do not spray kittens and puppies. For kittens or puppies over 4 weeks of age, wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing.

Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult veterinarian at first sign of adverse reaction.

**Statement of Practical Treatment**

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

If On Skin: Remove contaminated clothing and wash with soap and water.

If In Eyes: Flush eyes with plenty of water.

**PHYSICAL OR CHEMICAL HAZARDS**

**FLAMMABLE!** Keep away from heat or open flame.

ACCEPTED

OCT 30 1980  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
Registration No. 2382-75

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Rotate the colored ring on spray cap to open. Holding the bottle upright, point nozzle opening in direction spray is desired and pump the cap up and down with forefinger to create spray. From a distance of 6 to 12 inches, direct the spray over the animal until the entire coat is slightly damp. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly. This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents. Do not treat rugs, carpets, drapes, and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

**STORAGE AND DISPOSAL DIRECTIONS**

**STORAGE:** Flammable. Keep away from heat or open flame.  
**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

EPA Reg. No. 2382-75  
EPA EST. 2382-IN 1  
Sold Only By Graduate Veterinarians

Lot No.

**Kills-Repels  
Deodorizes**

**D-F-T  
SPRAY  
PLUS**

**FLEA & TICK KILLER DEODORANT  
SPRAY FOR USE ON DOGS & CATS**

**KILLS** - Ticks, Fleas, Lice and especially designed for the control of resistant brown dog ticks.

**REPELS** - Gnats, Mosquitoes, Flies.

**DEODORIZES** Imparts a Clean, Fresh Aroma.

**ACTIVE INGREDIENTS:**

Carbaryl (1-Naphthyl N-Methylcarbamate) . . . . .	2.50%
Pyrethrins . . . . .	0.06%
Piperonyl butoxide, technical* . . . . .	0.60%
Butoxypolypropylene glycol . . . . .	5.00%
<b>INERT INGREDIENTS . . . . .</b>	<b>91.84%</b>
	100.00%

\*Equivalent to .48% (butylcarbityl) (6-propylpiperonyl) ether and .12% related compounds.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

**16 fl. oz. (1 pt.)**

CARSON CHEMICALS, INC.  
New Castle, Indiana 47362  
Made in U.S.A.

17

BEST DOCUMENT AVAILABLE