

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION
Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying.

Do not treat kittens and puppies under 4 weeks of age. Some cats may be sensitive to D-F-T SPRAY PLUS. Do not exceed recommended dose. Do not spray directly at kittens and puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase-inhibiting drugs, pesticides, or other cats. Atropine is antidote. Consult veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT

I Swallowed. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

II On Skin. Remove contaminated clothing and wash with soap and water.

III In Eyes. Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE¹ Keep away from heat or open flame.

STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Flammable. Keep away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

Lot No. on bottom of container.

Carson

D-F-T

SPRAY PLUS

KILLS • REPELS • DEODORIZES

FLEA & TICK KILLER DEODORANT SPRAY

For Use On Dogs & Cats

KILLS - Ticks, Fleas, Lice and especially designed for the control of resistant brown dog ticks

REPELS - Gnats, Mosquitoes, Flies

DEODORIZES - Imparts a Clean, Fresh Aroma

ACTIVE INGREDIENTS

Carbaryl (1 Naphthyl N Methylcarbamate)	2.50
Pyrethrin	0.00
Pyrethrin butoxide, technical*	0.00
Butoxypropylpropylene glycol	5.00
INERT INGREDIENTS	91.84
	100.00

*Equivalent to 48% (butylcarbitol) (6-propylperonyl) ether and 12% related compounds

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

16 fl. oz. (1 pt.)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Rotate nozzle 1/4 turn to spray position and squeeze trigger to imitate a fine mist spray. (Close nozzle after use to avoid loss of product). Spray at a distance of 6 to 12 inches by squeezing trigger repeatedly and rapidly.

FOR KITTENS AND PUPPIES (over 4 weeks old)

Wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary but not more often than once weekly.

FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. Do not use on pregnant dogs. On a heavily coated animal ruffle the coat and spray against the lay of the hair. For best results in controlling ticks spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but not more often than once weekly.

This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleach ing agents are oxidizing agents.

Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residues are objectionable.

EPA Reg. No. 2382.75

7045 1 1

EPA Est. No. 2382 IN 1

Sold Only By Veterinarians

Made in U.S.A. by
Carson Chemicals, Inc.
New Castle, Indiana 47362-0466

NEED APPROVAL