

NEW
NO STICKY MESS

ZOECON

IMPROVED

RF-184 HOUSE & KENNEL FOGGER

WITH PRECOR^R INSECT GROWTH REGULATOR

Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
before they grow up to bite

Effectively kills fleas by preventing their development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 6,000 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:

(Isopropyl (S,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate)....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total	100.000%

PRECOR is a trademark of Zoecon Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional
precautionary statements.

NET WT. 6 oz. (170 g)

Zoecon RF-184 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zoecon RF-184 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zoecon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zoecon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 6,000 cu. ft. (750 sq. ft.) of unobstructed area, (approximately 27' X 27' or six 10' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and pre-adult fleas] and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [protect the surface] prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners]. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in area to be treated.] [Leave rug, grapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-293

U.S. Patent 3,904,662; 3,912,815

MAY 19 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 2724-293

Zoecon Industries
A Division of Zoecon Corporation
12200 Denton Drive, Dallas, Texas 75234

EPA Est. 11715-TM-1

Made in USA
© 1982 Zoecon

283-D-1889A-G088A

7023-1-K

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC
ANIMALS)**

CAUTION

AVOID INHALATION. AVOID CONTACT WITH EYES OR SKIN. MAY BE ABSORBED THROUGH THE SKIN. IF MATERIAL IS SPRAYED ON SKIN OR GETS INTO EYES, WASH THOROUGHLY WITH SOAP AND WATER. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. WASH HANDS THOROUGHLY AFTER USING AND BEFORE EATING OR SMOKING.

Use this spray sparingly. Surprisingly little will do the job. Do not treat animals under 3 months of age. Do not spray overheated or sick animals. Do not spray animals within 30 days of slaughter. Do not use on dairy animals. Do not spray directly into face. Do not apply in or around the eyes. Do not use on household pets or humans. Do not use other than as specified on the label. Some strains of screw worms may develop resistance to lindane. This will be observed by lack of response to treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container in newspaper and put in trash collection.

Lot No.



**KILLS SCREW WORMS -
FLEECE WORMS AND BLOW FLIES**

Active Ingredients:
Gamma Isomer of Benzene Hexachloride (from Lindane) 3.00%
Mineral Spirits 15.00%
Inert Ingredients 82.00%

Sold Only By Graduate Veterinarians

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING:** vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For the control of Screw Worm infestations and Ear Tick control in cattle, sheep, goats and horses and Fleece Worms in sheep and goats.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Hold dispenser upright and point valve in desired direction of spray. Spray is released by depressing plunger valve. For best results, hold valve 6 to 12 inches from area being sprayed.

FOR SCREW WORM CONTROL spray directly into and around infested wound until thoroughly wet. Repeat treatment at 5 to 7 day intervals until healed.

FOR FLEECE WORMS and other secondary blow flies, shear infested area, thoroughly spray directly into as well as area surrounding infestation. Repeat when necessary.

FOR EAR TICK CONTROL grasp ear firmly with one hand. Use other to release spray downward into animal's ear. A 3 second application is recommended for large animals, 2 second for smaller animals. Penetrates masses of ear wax and rapidly kills Ear Tick larvae and nymphs. Protects against re-infestation for weeks or more.

TO PROTECT WOUNDS against screw worms, fleece worms and other secondary blow flies, spray all superficial wounds, shear cuts, etc. and after Docking, Dehorning, or Castrating. Repeat application in 3 days, then as necessary until wound is healed.

Net Wt. 12 oz. M/Y 1 8 1983

CARSON CHEMICALS, INC.
New Castle, Indiana 47362
Made in U.S.A.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. No. 2382-80
EPA Reg. No. 2382-80
EPA EST 2382-IN-1