


EPA 44

10-1-85

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying.

Do not exceed recommended dose. Do not spray directly on nursing kittens or puppies. Consult veterinarian at first sign of adverse reaction.

**STATEMENT OF PRACTICAL TREATMENT**

If eye exposure occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

**FLAMMABLE!** Keep away from heat or open flame. Contains alcohol. Do not put on finished wood surfaces.

**STORAGE AND DISPOSAL DIRECTIONS**

**STORAGE:** Flammable. Keep away from heat or open flame. Store in closed container.

**DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Rinse container thoroughly, securely wrap in several layers of newspaper and discard in trash.

EPA Reg. No. 2382-81

EPA Est. No. 2382 IN-1

Sold Only By Veterinarians

Lot No. on bottom of container.

7048 1-D

**Carson**

# Ultra-Sect<sup>TM</sup>

## Flea & Tick Mist

FOR CATS · KITTENS · PUPPIES · DOGS

**INSECTICIDE, REPELLENT & DEODORANT**

**KILLS** - Ticks, Fleas and Lice.

**REPELS** - Mosquitoes, Gnats and Flies.

**ACTIVE INGREDIENTS:**

Pyrethrins	0.15%
Piperonyl Butoxide, Technical*	1.50%
N-octyl bicycloheptene dicarboximide	0.50%
2,3:4,5-Bis (2 butylene) tetrahydro-2-furaldehyde	0.50%
<b>INERT INGREDIENTS</b>	<b>97.35%</b>
	<b>100.00%</b>

\*Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and .30% related compounds.

**CAUTION:** KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

16 fl. oz. (1 pt.)

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Rotate nozzle counter clockwise 1/4 turn and squeeze trigger to initiate a fine mist spray. (Close nozzle after use to avoid loss of product). Spray at a distance of 6 to 12 inches by squeezing trigger repeatedly and rapidly.

**FOR DOGS AND CATS**

Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray into ear of kennel or other sleeping quarters. Repeat treatment as necessary. Do not spray structural surfaces where spotting, staining, or discoloration may be objectionable.

**FOR KITTENS AND PUPPIES**

Treat same as dogs and cats, except for nursing kittens and puppies, wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary.

**FOR HORSES AND PONIES**

To control Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Bnt Flies, Mosquitoes and Gnats, apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck, and topline. To treat face, damp on a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary.

Made in U.S.A. by  
Carson Chemicals, Inc.  
New Castle, Indiana 47362