### PPECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying.

Do not exceed recommended dose. Do not spray directly on nursing kittens or puppies. Consult veter-inarian at first sign of adverse reaction.

# STATEMENT OF PRACTICAL TREATMENT. If ever exposure occurs, flush eyes with pienty of

water Get medical attention of restation persists

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to ad jutic organisms. Do not apply directly to water. Do not circlaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Keep away from heat or open flame Contains alcohol. Do not put on finished wood surfaces.

### STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Flammable. Keep away from heat or open flame. Store in closed container.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container Wrap container and put in trash.

EPA Reg. No. 2382 B1 EPA Est. No. 2382 IN 1

7048-16-F

Lat No on bottom of container

# Pet-Patrol ==

# Ultra-Cide™

FOR CATS - KITTENS - PUPPIES - DOGS

### INSECTICIDE, REPELLENT & DEODORANT

KILLS - Ticks, Fleas and Lice.
REPELS - Mosquitoes, Gnats and Flies.
ACTIVE INGREDIENTS
Pyrethrins - 0 15%

Piceronyl Butoxide, Technical 150%
N octyl bicycloheptene dicarboximide 050%
2,3,4,5 Bis (2-butylene) tetrahydro 2
furaldehyde 050%
INERT INGREDIENTS 97,35%

\*Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and .30% related compounds

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

16 fl. oz. (1 pt.)

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Rotate noticle 1/4 turn to spray position and squeeze trigger to initiate a fine met spray. (Close noticle after use to avoid loss of product). Spray at a distance of 8 to 12 inches by squeezing trigger repeatedly and rapidly.

### FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. On a heavily coated animal, ualthe the coat and spray against the lay of the hair. For lest results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary. Do not spray structural surfaces where spotting, staining, or discoloration may be observed the

### FOR KITTENS AND PUPPIES

Treat same as dogs and cats, except for nursing kittens and pupples, wrap the animal in a tower which has been sprayed lightly. Leave the noise and mouth exposed for normal breathing. Keep the animal wrappind for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary.

### FOR HORSES AND PONIES

To control Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies. Deer Flies, Bot Flies, Wosquitoes and Gnats, apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck, and topline. To treat face, dampen a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary.

Pet-PatrolTMis a trademark of Carson Chemical Inc.

Made in U.S.A. by Carson Chemicals, Inc. New Castle, Indiana 47362-0466

ACCEPTED

MAR 2 3 1987

Under the Federal Insect
Fungi 10, and Roduntate
as 10d, for the petitor
training dunder 382-8
EPA Reg. No. 382-8

