

7010-1-B

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)**

CAUTION
Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of food stuffs. Wash hands after applying. Discard bottle when empty.

Do not treat kittens and puppies under 4 weeks of age. Some cats may be sensitive to PARID-X Spray with Carbaryl. Do not exceed recommended dose. Do not spray directly on kittens or puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Call a physician or Poison Control Center. Drink at least 2 glasses of water and induce vomiting by touching finger to back of throat or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash off with soap and water.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE! Avoid spraying in eyes. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting.

STORAGE AND DISPOSAL DIRECTIONS
STORAGE: Flammable. Keep away from heat or open flame.
DISPOSAL: Do not contaminate water, food, or food by storage or disposal. Do not reuse empty container. Replace cap, wrap container in news paper and discard in trash. Do not puncture or incinerate.

EPA Reg. No. 2382-82
EPA Est. No. 2382 IN 1

Lot No.

BEST DOCUMENT AVAILABLE

**KILLS-REPELS
CONDITIONS
DEODORIZES**

**PARID-X™
SPRAY**
with
CARBARYL

**(PRESSURIZED SPRAYER)
FOR CATS, KITTENS, PUPPIES, DOGS,
HORSES, PONIES**

KILLS & REPELS: Ticks, Fleas, Lice, Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Bot Flies, Mosquitoes and Gnats.

CONDITIONS: Inert ingredients contain coat conditioning agents.

DEODORIZES: Inert ingredients contain a deodorizing agent.

ACTIVE INGREDIENTS:
Pyrethrins 0.18%
Technical Piperonyl Butoxide* 1.80%
Carbaryl (1-Naphthyl
N-Methylcarbamate) 1.00%
Butoxypolypropylene Glycol 10.00%
INERT INGREDIENTS 87.02%
100.00%

*Equivalent to 1.44% (butylcarbityl) (6-propylpiperonyl) ether and .36% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

Net Wt. 13 oz.

MAY 4 1984
CARBON CHEMICALS INC.
New Orleans, Louisiana
Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2382-82

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Shake container well. Holding upright, press nozzle to initiate spray. Apply at a distance of 12 to 20 inches from animal.

FOR KITTENS AND PUPPIES (over 4 weeks old)

Wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary but not more often than once weekly.

FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is slightly damp. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary but no more often than once weekly. This spray may discolor the coat of white haired animals in the presence of oxidizing agents. Whitener shampoos and bleaching agents are oxidizing agents. Do not treat rugs, carpets, drapes and other fabrics. Avoid application to structural surfaces where visible spray residue is objectionable.

FOR HORSES AND PONIES

Remove excess dirt and dust by brushing coat. Apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck, and topline. To treat face, dampen a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary. Not to be used on animals intended for slaughter.

Sold Only By Graduate Veterinarians