

18 MAY 1992

Thomas A. Miller, Ph.D.
Virbac, Inc.
2507 Gravel Drive
Fort Worth, TX 76118-6904

Dear Dr. Miller:

Subject: Submission of revised Label and basic CSF
Supra-Quick Mist; Supra-Quick Roll-On; Supra-Quick
Mist (birds)
EPA Reg. No. 2382-86
Submission dated May 6, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This will also acknowledge receipt of the revised basic formulation for the subject product. This amendment is acceptable, and a copy of the Confidential Statement of Formula has been placed in the respective file.

Section 13b. on your Confidential Statement of Formula now totals 99.846%. Revise your CSF so that this section totals 100%. The upper and lower limits for Germaben II on the CSF should not be identical. Refer to 40 CFR, part 158.175 for further guidance and correct as necessary.

Sincerely,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

2
2
2

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Rotate nozzle 1/4 turn to spray position and squeeze trigger to initiate a fine mist spray. (Close nozzle after use to avoid loss of product). Spray at a distance of 6 to 12 inches by squeezing trigger repeatedly and rapidly.

FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is wet. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. Allow hair coat to dry before removing dead fleas by brushing or combing. This product is formulated to leave the hair coat soft and manageable for grooming. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary.

Do not spray structural surfaces where spotting, staining, or discoloration may be objectionable.

FOR KITTENS AND PUPPIES

Treat same as dogs and cats except for nursing kittens and puppies, wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary.

KILLS - Ticks, Fleas and Lice

GROOMS - Conditions coat with Lanolin.

DEODORIZES - Imparts a pleasing residual aroma.

Lot No. on bottom of container.

virbac®

**Supra-Quick™
Mist****WATER BASE PYRETHRINS
FLEA & TICK KILLER SPRAY**

**FOR CATS, KITTENS, PUPPIES AND DOGS
KILLS - GROOMS - DEODORIZES****ACTIVE INGREDIENTS:**

Pyrethrins	0.10%
Technical Piperonyl Butoxide*	0.20%
N-Octyl bicycloheptene dicarboximide	0.33%
INERT INGREDIENTS	99.37%
	100.00%

*Equivalent to 0.16% (butylcarbityl) (6-propyl-piperonyl) ether and 0.04% related compounds.

**CAUTION: KEEP OUT OF THE REACH OF
CHILDREN SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.**

16 fl. oz. (1 pt.)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

CAUTION
Harmful if swallowed or inhaled. Avoid skin contact. Avoid contamination of foodstuffs. Wash hands after applying.

Do not exceed recommended dose. Consult veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT
In case of contact, immediately flush eyes with plenty of water.

STORAGE AND DISPOSAL DIRECTIONS
STORAGE: Protect from freezing. If frozen, allow to warm to room temperature and shake well before using. Store in closed container.

DISPOSAL: Do not reuse empty container. Empty container and put in trash. Sold only by veterinarians.

EPA Reg. No. 2382-86
EPA Est. No. 2382-IN-1

Made in U.S.A. by:
virbac®, Inc.
Fort Worth, Texas 76118

ACCEPTED
with COMMENTS
in EPA Letter Dated

18 MAY 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
2382-86