DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Spray over entire haircoat making sure the coat is thoroughly wetted to the skin. Spray against the lay of the halr, ruffling the coat on long-haired pets. Weight of pet, length of hair and density of coat will determine amount of spray to be applied to wet the skin (average dose approximately 7.5 g/kg for dogs and 5g/kg for cats). This 16 oz. bottle should be sufficient for three applications to an average 30-35 lbs. dog or 20 applications to a 10 lb. cat. When applied at the label dose rate, the pet should not be retreated more frequently than once each 14 days. Lighter applications will reduce period of effectiveness, may result in earlier reinfection and may require more frequent retreatment. For best results in controlling ticks. spray directly on the tick. Allow pet to air dry or blow dry. Do not towel dry. This product is formulated to leave the hair coat soft and manageable for grooming.

Virbac Inc., P.O. Box 162059, Fort Worth, TX 76161 Telephone 817-831-5030 virbac®

Supra-Quick™ Flea & Tick Mist

[Water base flea and tick spray with dual synergized pyrethrins] [Kills fleas and ticks on the pet]

ACTIVE INGREDIENTS:

· · · · · · · · · · · · · · · · · · ·	
Pyrethrins	0.10%
Piperonyl butoxide, technical	0.20%
N-Octyl bicycloheptene dicarboximide	0.33%
OTHER: INGREDIENTS	99.37%
	00107.70

*Equivalent to 0.16% (buly/carbilyl) (6-propyl-piperonyl) ether and 0.04% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions 16 fl. oz. (470 mL)

ACCEPTED

FEB 25 1998

Under the Federal Insecticide, Fungicide, and Hodenticide Act. as anended, for the posticide registered under 380 CC

READENTIRELABELBEFORE EACHUSE, USE ONLY ON DOGS AND CATS PRECAUTION-ARY STATEMENT CAUTION

HAZARDSTOHUMANS: Avoid contamination of foodstuffs. Wash hands after using.

HAZARDS TO DOMESTIC ANIMALS: Do not treat pets aged less than 6 months. Consult a veterinarian before treating debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap or a non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area.
DISPOSAL: Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

EPA Reg. No. 2382-86 EPA Est. No. 2382-IN-1 Lot no. on bottom of container 98/02