FEB 1 8 2004

Joseph E. Dyer Virbac AH, Inc. P.O. Box 162059 Fort Worth, Texas 76161

Subject: Revised Label For For:

Supra-Quick Mist

EPA Registration No. 2382-86

Application dated November 18, 2003

Dear Mr. Dyer:

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended updating the label is acceptable. A stamped copy of the amended label is enclosed.

Sincerely,

Richard Gebken

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

9

DRAFT LABEL Front Panel

SUPRA - QUICK MIST

- ♦ WATER BASED FLEA ANT TICK SPRAY WITH DUAL SYNERGIZED PYRETHRINS
- ♦ KILLS FLEA AND TICKS ON DOGS AND CATS
- ♦ KILLS FLEAS AND TICKS ON DOGS, PUPPIES, CATS AND KITTENS

ACTIVE INGREDIENTS

Pyrethrins: CAS #8003-34-7	
¹Piperonyl Butoxide Technical: CAS #51-03-6	0.20%
N-Octyl bicycloheptene dicarboximide	0.33%
OTHER INGREDIENTS	99.37%
TOTAL	100.00%

¹ Equivalent to 0.16% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.04% related compounds.



KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE/BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net Contents: 16 FL OZ (472mL)

Page 1 of 3 NOVEMBER 17, 2003 VB086LAA.DOC-1

Draft Label Side/Back Panel

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS AND CATS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food and foodstuffs.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON CATS, KITTENS, DOGS AND PUPPIES:

Do not use on kittens or puppies under 12 weeks of age. Do not spray into the eyes, face or genitalia. Do not reapply more often than once every 14 days.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

- If Swallowed ° Call a poison control center or doctor immediately for treatment advice.
 - ° Have person sip a glass of water if able to swallow.
 - O Do not induce vomiting unless told to do so by a poison control center or doctor.
 - ° Do not give anything by mouth to an unconscious person.
- If Inhaled
- ° Move person to fresh air.
- ° If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- ° Call a poison control center or doctor for further treatment advice.

- If On Skin or ° Take off contaminated clothing.
- Clothing
- ° Rinse Skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.
- If In Eyes
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- ° Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-XXX-XXXX for emergency medical treatment information.

Page 2 of 3 NOVEMBER 17, 2003 VB086LAA.DOC-2

Draft Label Side/Back Panel

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

FOR USE ON CATS, KITTENS, DOGS AND PUPPIES TO KILL FLEAS AND TICKS:

Hold the container upright. Spray at a distance of 8 to 12 inches. Spray over entire haircoat making sure the coat is thoroughly wetted to the skin. As you spray, fluff the hair so the spray will penetrate to the skin. Make sure spray wets ticks thoroughly. Spray against the lay of the hair, roughing the hair on long-haired dogs or cats. Weight of dog or cat, length of hair and density of coat will determine amount of spray to be applied to wet the skin (average dose approximately 7.5 g/kg for dogs and 5 g/kg for cats). This 16 oz. bottle should be sufficient for three applications to an average 30-35 lbs of dog or 20 applications to a 10 lb. cat. When applied at the label dose rate, the dog or cat should not be retreated more frequently than once every 14 days. Lighter applications will reduce period of effectiveness, may result in earlier reinfestation and may require more frequent retreatment. For best results in controlling ticks, spray directly on the tick. Allow dog or cat to air dry or blow dry. Do not towel dry. This product is formulated to leave the hair coat soft and managable for grooming. Do not spray in the dog's or cat's eyes, face or genitalia. Do not use on kittens or puppies under 12 weeks of age.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets and away from heat and open flame.

DISPOSAL: If **Empty:** Do not reuse this container. Place in trash or offer for recycling if available. If **Partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No.: 2382-86

EPA Est. No.: 67517-M0-1

Manufactured By Virbac AH, Inc. Consumer Brands Division Fort Worth, TX 76161 800-338-3659

(lot number statements as needed)
Mfg. & Printed in U.S.A. (label revision number) (product number)

Page 3 of 3 NOVEMBER 17, 2003 VB086LAA.DOC-3