

7023 D

DIRECTIONS Shake well before using. Hold nozzle in desired direction of spray. Spray is relatively dry; for best results, hold valve 6 to 12 inches from area being sprayed.

FOR SCREW WORM CONTROL spray directly into wound until thoroughly wet. Repeat treatment in 5 to 7 days, as necessary.

FOR FLEECE WORMS and other secondary, blow flies, spray thoroughly directly into as well as area surrounding infestation. Repeat as necessary.

FOR EAR TICK CONTROL grasp ear firmly with one hand. Use other to release spray downward into animal's ear. A 3 second application is recommended for large animals, 2 second for smaller animals. Penetrates masses of ear wax and rapidly kills Ear Tick larvae and nymphs. Protects against re-infestation for 3 weeks or more.

TO PROTECT WOUNDS against screw worms, fleece worms and other secondary, blow flies, spray all superficial wounds, shear cuts, etc., and after Docking, Dehorning, or Castrating. Repeat application in 3 days, then as necessary, until wound is healed.

CAUTION Use this spray sparingly. Surprisingly little will do the job. Do not treat animals under 3 months of age. Do not spray overheated or sick animals. Do not spray animals within 30 days of slaughter. Do not use on dairy animals. Do not apply in or around the eyes. Do not use on household pets or humans. Do not use other than as specified on the label. Some strains of screw worms may develop resistance to lindane. This will be observed by lack of response to treatment.

CAUTION TO HUMANS: AVOID INHALATION. AVOID CONTACT WITH EYES OR SKIN. MAY BE ABSORBED THROUGH THE SKIN. IF MATERIAL IS SPRAYED ON SKIN OR GETS INTO EYES, WASH THOROUGHLY WITH SOAP AND WATER. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

WARNING Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting.

WARNING Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

EPA REG. NO. 2482-R

EPA EST. 2382 IN 1

Lot No.

**WOUND
TREATMENT**

**FOR
WORMS
AND
BLIES**

FLEECE WORMS AND BLIES

Active Ingredients

Gamma Isomer of Benzene Hexachloride
(true Lindane)

Petroleum Distillate 10.0

Mineral Oil 15.0

Xylene 12.0

Inert Ingredients 60.0

For the control of Screw Worm Infestations and Ear Tick control in cattle, sheep, goats and horses and Fleece Worms in sheep and goats.

SOLD ONLY BY GRADUATE VETERINARIANS

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Back Panel For Additional Cautions

Net Wt. 12 oz.

CARSON CHEMICALS, INC.
New Castle, Indiana 47362
Made in U.S.A.

ACCEPTED

Label for this product
has been examined and
found to be in accordance
with the provisions of
the Federal Insecticide,
Fungicide, and Rodenticide
Act.
EPA Reg. No.