EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (875050)

Enclosures

BEST AVAILABLE COLL



virbace:

Pyre-Sect™ Dip

FOR CATS-KITTENS-DOGS-PUPPIES 1 2 Oz. Makes 1 Gallon

NATURAL PYRETHRIN FORMULA - FLY REPELLENT KILLS-REPELS-Floss-Ticks-Lice-Gnats-Mosquitoes-Flies

Active Ingredients	
Pyrethrins	1.00%
Piperonyl Butoxide, Technical*	4.00%
N-Octyl-Bicycloheptene Dicarboximide	6.00%
Di-n-Propyl Isocinchomeronate	4.00%
INERT INGREDIENTS	85.00%
*Equivalent to 3.20% of (butylcarbityl) (6-propylpiperor	yl) ether
and 0.80% of related compounds.	

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

64 fl. oz. (1/2 Gal.)

PRESAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

Concentrate is harmful if swallowed or absorbed through slun. May cause eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Do not use on luttens or puppies less than 6 weeks of age unless prescribed by a vetennarian STATEMEP** OF PRACTICAL TREATL. If In case or age contact, immediately flush eyes with plenty of water STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Protect from freezing if trozen, allow to warm to room temperature e shake well before using. Keep tightly sealed in original container.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

Lot No. on bottom of container

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Shake well before using FOR CATS, KITTENS, DOGS AND PUPPLES.

To luft fleas, ticks and lice thoroughly mix 1 2 oz (1 tablespoon) of Pyre Sect "Dip with 1 gal warm water. Do not dilute more dip than will be used in a 24 hr period. APPLICATION: Dip should be applied to dry or damp (not wet) coat. Sponge, dip or spray animal with diluted Pyre-Sect M Dip making sure all areas are soaked to the skin. Let animal drip dry. DO NOT RINSE OFF! Use Pyre-Sect™Dip as directed by your veterinarian and as often as necessary without interval restrictions on frequency of dipping

EPA Reg No 2382-EPA Est No. 2382-IN-1 Sold Only By Veterinarians

Made in U.S.A. by virbac* laboratories, inc. Ft. Worth, Texas 76118

BEST AVAILABLE COM.