

APR 05 1991

Mr. Thomas A. Miller
Virbac, Inc.
2507 Gravel Drive
Fort Worth, TX 76118

Dear Mr. Miller:

Subject: Ultra-Sect R Flea & Tick Mist
EPA Registration No. 2382-93
Your Letter Dated July 27, 1990

The labeling submitted in connection with registration for the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable and a stamped copy is enclosed for your records.

The chemistry information enclosed with your letter is acceptable and has been placed into the file for this product.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

52719; I. Tavano; L10-8; KVRIC; 04/02/91; 05/01/91; CL; WO; CL

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Tavano						
DATE	4/3/91						

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Rotate nozzle 1/4 turn to spray position and squeeze trigger to initiate a fine mist spray. (Close nozzle after use to avoid loss of product) Spray at a distance of 6 to 12 inches by squeezing trigger repeatedly and rapidly

FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is slightly damp. Do not spray directly into face. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary. Do not spray structural surfaces where spotting, staining, or discoloration may be objectionable.

FOR KITTENS AND PUPPIES

Treat same as dogs and cats except for nursing kittens and puppies, wrap the animal in a towel which has been sprayed lightly. Leave the nose and mouth exposed for normal breathing. Keep the animal wrapped for 5 to 10 minutes. Fleas may then be removed from the coat by picking or combing. Repeat as necessary

FOR HORSES AND PONIES

To control Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Bot Flies, Mosquitoes and Gnats, apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck, and topline. To treat face, dampen a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary.

Lot No

virbac[®]

Ultra-Sect "R" Flea & Tick Mist

FOR CATS - KITTENS PUPPIES DOGS

INSECTICIDE, REPELLENT & DEODORANT

KILLS - Ticks, Fleas and Lice.

REPELS - Mosquitoes, Gnats and Flies.

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
Piperonyl Butoxide, Technical*	1.50%
N-octyl bicycloheptene dicarboximide	0.50%
Dipropyl Isocinchomeronate	0.50%
INERT INGREDIENTS	97.35%
	100.00%

*Equivalent to 1.20% (butylcarbityl) (6-propyl-piperonyl) ether and .30% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

16 fl. oz.

ACCEPTED
APR 05 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2382-93

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying.

Do not exceed recommended dose. Do not spray directly on nursing kittens or puppies. Consult veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT

If eye exposure occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Keep away from heat or open flame. Contains alcohol. Do not put on finished wood surfaces.

STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Flammable. Keep away from heat or open flame. Store in closed container.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

EPA Reg. No. 2382-93

EPA Est. No. 2382-IN-1

7048-1-1

Sold only by veterinarians

Made in U.S.A. by
virbac[®] laboratories, inc.
Fort Worth, Texas 76118

BEST AVAILABLE COPY