

2382-93
15/15/1

ACCEPTED

27 SEP 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose
registered under
EPA Reg. No. 2382-93

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR DOGS AND CATS

Direct the spray over the animal until the entire coat is wet. On a heavily coated animal, ruffle the coat and spray against the lay of the hair. This product is formulated to leave the hair coat soft and manageable for grooming. For best results in controlling ticks, spray directly on the tick. Thoroughly spray interior of kennel or other sleeping quarters. Repeat treatment as necessary.

Do not spray structural surfaces where spotting, staining, or discoloration may be objectionable.

FOR HORSES AND PONIES

To control Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Bot Flies, Mosquitoes and Gnats on horses and ponies, apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck and topline. To treat face, dampen a cloth with spray and rub on face and head being careful to avoid eyes. Repeat as necessary.

KILLS - Ticks, Fleas and Lice.

REPELS - Mosquitoes, Fleas, Gnats and Flies

DEODORIZES - Imparts a pleasing residual aroma.

Sold only by veterinarians.

Made in U.S.A. by: *virbac*, Inc.,

P.O. Box 162059,

Fort Worth, Texas 76161

virbac

Ultra-Sect™ "R" Flea & Tick Mist

DIALLYL SYNERGIZED PYRETHRINS AND
REPELLENT

FOR CATS AND KITTENS, PUPPIES AND DOGS,
HORSES AND PONIES

ACTIVE INGREDIENTS:

Pyrethrins.....	0.15%
Technical Piperonyl Butoxide.....	1.50%
N-Octyl bicycloheptene dicarboximide...	0.50%
Dipropyl Isocinchomeronate.....	0.50%
INERT INGREDIENTS.....	97.35%
	100.00%

*Equivalent to 0.16% (butylcarbityl) (6-propyl-piperonyl) ether and 0.04% related compounds.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.
16 fl. oz. (473 mL.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed or inhaled. Apply only in well ventilated areas. Avoid skin contact. Avoid contamination of foodstuffs. Wash hands after applying. Do not use on horses to be slaughtered for food. Consult a veterinarian before use on pregnant or nursing females, on puppies or kittens under 6 weeks of age or on sick or debilitated pets. Some pets, especially cats, may salivate when treated. Consult veterinarian at first sign of other adverse reactions.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE! Keep away from heat and open flame. Contains alcohol. Do not put on finished wood surfaces.

STORAGE AND DISPOSAL DIRECTIONS


STORAGE: Flammable. Store in closed container away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

EPA Reg. No. 2382-93 EPA Est. No. 2382-IN-1

Lot No. on bottom of container.

94/07



BEST AVAILABLE COPY