

104-5

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

**BLISTER PACKAGE**

**FRONT PANEL (CARDBOARD BACKING)**

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

Kills fleas for 5 months  
Kills ticks for 5 months

**ACTIVE INGREDIENT:**

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]..15.0%  
INERT INGREDIENTS.....85.0%  
TOTAL.....100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** See back panel for additional precautionary statements and directions.

For puppies over 5 weeks - neck size up to 12".

**VIRBAC**

Contains 1 Flea and Tick Collar  
Net Wt. 0.47 oz. (13.3 g)

**ACCEPTED**

SEP 9 1991

for the  
238-7-96

## BLISTER PACKAGE

### BACK PANEL (CARDBOARD BACKING)

#### PRECAUTIONARY STATEMENTS

##### HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on puppy while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on puppies less than 5 weeks of age.

Adjustable - will accommodate up to a 12" neck size.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection<sup>tm</sup> 150 Reflecting collar around the puppy's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the puppy will be killed and controlled by the action of the collar. THE REFLECTIVE STRIP ON THIS COLLAR WILL REFLECT BRIGHTLY WHEN AN OUTSIDE LIGHT SOURCE, SUCH AS CAR HEADLIGHTS, SHINE DIRECTLY ON IT. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

#### DISPOSAL

Do not reuse empty blister. After fitting collar, wrap blister and card backing with excess collar and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

2 of 15

EPA Reg. No. 2382-96

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.  
Fort Worth, Texas 76181  
Made in France

Page 2

.....  
.....  
.....  
.....  
.....  
.....  
.....

**FOIL POUCH/CARTON PACKAGE**

**FRONT PANEL (CARTON)**

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies**

**Kills fleas for 5 months  
Kills ticks for 5 months**

**For puppies over 5 weeks - neck size up to 12".**

**ACTIVE INGREDIENT:**


Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....	15.0%
INERT INGREDIENTS.....	85.0%
TOTAL.....	100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION: See back panel for additional precautionary statements and directions.**

**VIRBAC**

**Contains 1 Flea and Tick Collar  
Net Wt. 0.47 oz. (13.3 g)**



FOIL POUCH/CARTON PACKAGE

BACK PANEL (CARTON)

PROTECTION<sup>™</sup> 150 Reflecting Flea and Tick Collar for Puppies  
Adjustable - will accomodate up to a 12" neck size.

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on puppy while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on puppies less than 5 weeks of age.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection<sup>™</sup> 150 Reflecting collar around the puppy's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the puppy will be killed and controlled by the action of the collar. THE REFLECTIVE STRIP ON THIS COLLAR WILL REFLECT BRIGHTLY WHEN AN OUTSIDE LIGHT SOURCE, SUCH AS CAR HEADLIGHTS, SHINE DIRECTLY ON IT. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.


**DISPOSAL**

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-96

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.  
Fort Worth, TX 76181  
Made in France



**FOIL POUCH/CARTON PACKAGE**

**POUCH LABEL**

**PROTECTION™ 150 Flea and Tick Collar for Puppies**

**Do not open until ready to use**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**ACTIVE INGREDIENT:**

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....	15.0%
INERT INGREDIENTS.....	85.0%
TOTAL.....	100.0%

**EPA Reg. No. 2382-96**

**EPA Est. 15577-FR-1**

**Manufactured for Virbac, Inc.  
Fort Worth, Texas 76181  
Made in France**



**BLISTER PACKAGE**

**FRONT PANEL (CARDBOARD BACKING)**

**PROTECTION<sup>tm</sup> 150 Reflecting Flea and Tick Collar for Dogs**

**Kills fleas for 3 months  
Kills ticks for up to 5 months**

**ACTIVE INGREDIENT:**

**Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....15.0%**

**INERT INGREDIENTS.....85.0%**

**TOTAL.....100.0%**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION: See back panel for additional precautionary statements and directions.**

**VIRBAC**

**Contains 1 Flea and Tick Collar  
Net Wt. 0.91 oz. (25.8 g)**

**RECEIVED COPY**

**ACCEPTED**  
SEP 9 1991

Virbac Inc. 10000  
P.O. Box 10000  
Trade Dress  
Reg. No. 2392-96



**FOIL POUCH/CARTON PACKAGE**

**FRONT PANEL (CARTON)**

**PROTECTION™ 150 Flea and Tick Collar for Dogs**

**Kills fleas for 5 months  
Kills ticks for up to 5 months**

**ACTIVE INGREDIENT:**

**Diazinon [O,O-diethyl O-2-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate].....15.0%**

**INERT INGREDIENTS.....85.0%**

**TOTAL.....100.0%**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION: See back panel for additional precautionary statements and directions.**

**VIRBAC**

**Contains 1 Flea and Tick Collar  
Net Wt. 0.9 oz. (25.5 g)**



**BLISTER PACKAGE**

**BACK PANEL (CARDBOARD BACKING)**

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

**Note to Physicians/Veterinarians:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on puppies less than 5 weeks of age.

Adjustable - fits all size dogs, up to 28" neck size.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection 150<sup>tm</sup> Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days, except for unusually large breeds on which collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall, however, it is suggested the collar be removed before bathing.



**DISPOSAL**

Do not reuse empty blister. After fitting collar wrap blister and card backing with excess collar and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-96

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.  
2507 Gravel Drive  
Fort Worth, Texas 76118  
Made in France

**FOIL POUCH (CARTON PACKAGE)**

**FRONT PANEL (CARTON)**

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs**

**Kills fleas for 5 months  
Kills ticks for up to 5 months**

**ACTIVE INGREDIENT:**


**Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....15.0%**  
**INERT INGREDIENTS.....85.0%**  
**TOTAL.....100.0%**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION: See back panel for additional precautionary statements and directions.**

**VIRBAC**

**Contains 1 Flea and Tick Collar  
Net Wt. 0.91 oz. (25.8 g)**



FOIL POUCH/CARTON PACKAGE

BACK PANEL (CARTON)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs  
Adjustable - fits all size dogs, up to 28" neck.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on puppies less than 5 weeks of age.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days, except for unusually large breeds on which collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

**BEST AVAILABLE COPY**

**DISPOSAL**

Do not reuse empty pouch or box. After fitting collar, wrap pouch and box with excess collar and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-96

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.  
2507 Gravel Drive  
Fort Worth, Texas 76118  
Made in France

**FOIL POUCH/CARTON PACKAGE**

**POUCH LABEL**

**PROTECTION<sup>tm</sup> Reflecting Flea and Tick Collar for Dogs**

**Do not open until ready to use**

**CAUTION**

**KEEP OUT OF THE REACH OF CHILDREN**

**SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

**ACTIVE INGREDIENT:**

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....15.0%  
INERT INGREDIENTS.....85.0%  
TOTAL.....100.00%

**EPA Reg. No. 2382-96**

**EPA Est. 15577-FR-1**

**Manufactured for Virbac, Inc.  
2507 Gravel Drive  
Fort Worth, TX 76118  
Made in France**