

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTIONtm 150 Flea and Tick Collar for Large Dogs

Do not open until ready to use

CAUTION

KEEP OUT OF REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**


ACTIVE INGREDIENT:

Diazinon [0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....	15.0%
INERT INGREDIENTS.....	85.0%
TOTAL.....	100.0%

EPA Reg No. 2382-99

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76181
Made in France



ACCEPTED

FEB 25 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2382-99

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

PROTECTION[™] Flea and Tick Collar for Large Dogs

Kills fleas for 5 months
Kills ticks for up to 5 months

STEP 3 logo

For neck size up to 28"

ACTIVE INGREDIENT:

Diazinon [0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....15.0%

INERT INGREDIENTS.....85.0%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

Contains 1 Flea and Tick Collar
Net Wt. 0.90 oz. (25.5 g)

Faint, illegible text or markings on the right side of the page.

FOIL POUCH/CARTON PACKAGE

BACK PANEL (CARTON)

Zone Control: To effectively control fleas, you should treat the areas where fleas live with the Flea Stop[™] 4-Step Program which consists of, Step 1 -Shampoo/Dip the Pet; Step 2 -Treat the Home and Yard; Step 3 -Flea and Tick Collars on the Pet; Step 4 - Maintenance Sprays and Powders. As your pet care professional for specific recommendations on how to best control fleas for the comfort and well-being of your pet and family.

PROTECTION[™] 150 Flea and Tick Collar for Large Dogs
Adjustable - fits large dogs, 28" neck or smaller.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result contact a physician.

Note to Physicians/Veterinarians: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Do not use other cholinesterase inhibiting pesticides, drugs or chemicals on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE
It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection[™] 150 collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will

continue killing and controlling ticks for up to 150 days, except for unusually large breeds on which collar aids in tick control in the head and neck area for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch and box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-99

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, TX 76181
Made in France