

Reg # 2382-102

PM-13

191

BEST AVAILABLE COPY

virbac®

DuoCide® Dip

Resectant for Fleas and Ticks Dip for Dogs and Cats
For Fleas Only Contains Resectant by Synthetic Permethrin

ACTIVE INGREDIENTS:

Permethrin [(1S-Phenoxyphenyl) methyl (2S)-cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylpydropanecarboxylate]	3.20%
Related isomer products	0.28%
-N-Octyl bicycloheptane dicarboximide	15.00%
INERT INGREDIENTS**	81.52%
TOTAL	100.00%

*cis-trans isomer ratio: Min. 35% (2) cis
Max. 65% (2) trans

**Contains petroleum distillates
-MKG 264, Insecticide Synergist

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Back Panel for Additional Precautionary Statements

Net Contents 4 fl. oz. (114 mL)

EPA Reg. No. 2382-102

EPA Est. No. 2382 IN-1

PRECAUTIONARY STATEMENTS

WARNING

Hazard to Humans and Domestic Animals

Causes skin irritation. Harmful if swallowed. Contains petroleum distillates. Do not get in eyes, on skin or on clothing. Do not concentrate beds/fur with the concentrate or dip. Do not use on animals under 3 months of age or sick, old or debilitated pets.

Environmental Hazards

This product is toxic to fish and other aquatic animals. Do not concentrate any body of water with the concentrate or dip or by cleaning of equipment.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if vomiting has taken place. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. Remove contaminated clothing and wash affected areas with soap and warm water.
- IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and warm water.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.
- IF INHALED:** Remove victim to fresh air and call a physician if effects occur. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Kill Fleas, Ticks and Lice: Dilute 2 fluid ounces (4 tablespoons) with one gallon of water. Dip animal making sure hair is thoroughly wet to the skin. The area around the ears should be sprayed thoroughly. Dipping should not exceed 30 seconds. Avoid contact of dip with eyes and mouth of animal. If a volume of dip smaller than one gallon is required to apply to smaller animals or by spraying onto the animal instead of immersion dipping, maintain the dilution ratio of one ounce per half gallon or 1/2 ounce per quart of water. Allow pet to dry in a warm place without shaking or brushing. Repeat application every two weeks or as necessary.

STORAGE AND DISPOSAL

- Storage:** Store in a cool, dry area away from heat or open flame.
- Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

Made in U.S.A. by
virbac®, Inc.
Fort Worth, TX 76118

ACCEPTED

DEC 9 '99

2382-102