

virbac®

DuoCide® Dip
Residual Insecticidal Flea and Tick Dip for
Dogs and Cats For 14 day Control and
Repellency by Synergized Permethrin

ACTIVE INGREDIENTS	
Permethrin [(3-Phenoxyphenyl)methyl (±) cis trans 3 (2,2-dichloroethoxy) 2,2-dimethylcyclopropanecarboxylate]	3.20%
Related reaction products	0.28%
* N-Octyl bicycloheptene dicarbamate	15.00%
INERT INGREDIENTS **	81.52%
TOTAL	100.00%

* cis trans isomer ratio: Min 35% (±) cis
Max 65% (±) trans

** Contains petroleum distillates
* MCK 264, Insecticide Synergist

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See back Panel for Additional Precautionary Statements

Net Contents 4 fl. oz. (114 ml)

EPA Reg. No. 2382-102

EPA Est. No. 2382 IN 1

**PRECAUTIONARY STATEMENTS
WARNING**

Hazards to Humans and Domestic Animals: Causes skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on cloth. Do not contaminate foodstuffs with this concentrate or dip. Do not use on animals under 3 months of age or sick old or debilitated pets.
Environmental Hazards: This product is toxic to fish and other aquatic animals. Do not contaminate any body of water with this concentrate or dip or by cleaning of equipment.
Physical or Chemical Hazards: Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and warm water.
IN THE EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh air and call a physician if effects occur. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
To kill fleas, ticks and lice (Mite? And larvae) (4 Labeled uses) with one gallon of water. Dip animal making sure hair is thoroughly wet to the skin. The area around the ears should be sponged thoroughly. Dipping should not exceed 30 seconds. Avoid contact of dip with eyes and mouth of animal. If a volume of dip smaller than one gallon is required to apply to smaller animals or by spraying around animal instead of immersing dipping, maintain the dilution rates of one ounce per half gallon or 1/2 ounce per quart of water. Allow pet to dry in a warm place without rinsing or toweling. Repeat application every two weeks or as necessary.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Securely encase original container in several layers of newspaper and discard in trash.

Made in USA by
virbac, inc
Fort Worth, TX 76118

ACCEPTED
30 MAR 1995
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2382-102