

FIRST PROOF

2382-104

9/26/2001

1/1

Preventic® TICK COLLAR FOR DOGS Kills Ticks for 3 Months

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS.
DO NOT USE ON CATS.
PRECAUTIONARY STATEMENTS

FIRST AID:
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION
• Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.
Wash hands before eating, drinking, chewing gum, using tobacco, or using toilet.
• This collar is intended for use as an acaricide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.
• Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.
• Do not use on puppies less than 12 weeks old. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors or pressor agents. Some dogs may be sensitive to this collar. Remove at first sign of irritation or adverse reaction, bathe dog with a non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.
DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed.

NOTICE: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Wash hands thoroughly after applying this product. Dispose of as instructed below.
NOTE TO VETERINARIAN: If a dog ingests a Preventic collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal and enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this collar in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:
Pesticide and Container Disposal: Wrap in newspaper and put in trash collection.
Do not reuse empty pouch, box or collar.

APPLICATION INSTRUCTIONS
Place the Preventic® collar around the dog's neck, buckle and adjust for proper fit. Cut off and dispose of excess length. Do not allow dogs to play with cut-off excess. The collar must be worn tightly enough to contact skin and so that the dog cannot remove it. Activity against ticks starts within 24 hours and continues as long as the collar is worn (up to 90 days). Ticks present in the dog's environment that may reappear on the dog will not attach and will be killed in less than 24 hours. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. This product does not control fleas.

EPA Reg. No. 2382-104
EPA Est. 2382-TX-1
Lot no. located on enclosed pouch.
Made in France



Manufactured for **Virbac**

P.O. Box 162059
Fort Worth, Texas 76161
(800) 338-5659



01/06
260440-04

Preventic® TICK COLLAR FOR DOGS
Kills Ticks for 3 Months

ACCEPTED

ANTIPARASITIC

SEP 26 2001



Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2382-104

Preventic



TICK COLLAR FOR DOGS
25" COLLAR

Kills Ticks for 3 Months

ACTIVE INGREDIENT:

Amitraz: N'-(2,4-dimethylphenyl)-N-[[2,4-dimethylphenyl]imino]methyl]-N-methylmethanimidamide	9.0%
INERT INGREDIENTS	91.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

CONTENTS: ONE COLLAR NET. WT. 0.97 oz. (27.5 g)

Preventic® TICK COLLAR FOR DOGS
Kills Ticks for 3 Months

virbac

FOR VETERINARY USE ONLY

PANTONE 661 CV

PREVENTIC COLLAR (U.S.) • 6/28/01 • #260440-04