

2382-104

03/28/2007

1/4

DRAFT LABEL
Front Panel

PREVENTIC TICK COLLAR FOR DOGS

- USE ONLY ON DOGS
- DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}
- ANTIPARASITIC
- FITS NECKS UP TO 25"
- KILLS AND DETACHES TICKS FOR 3 MONTHS
- ADJUSTABLE - ONE SIZE FITS MOST DOGS
- ADJUSTABLE FOR DOGS OVER 60 LBS.
- TICK COLLAR FOR DOGS
- 90 DAY TICK COLLAR FOR DOGS
- KILL TICKS FOR 3 MONTHS
- KILL TICKS FOR 90 DAYS
- THE ONE THAT KILLS AND DETACHES TICKS
- FOR DOGS UP TO 60 LBS
- FOR DOGS OVER 60 LBS
- SIX MONTHS OF TICK PREVENTION {I.E., FOR CARTON CONTAINS TWO COLLARS}

ACTIVE INGREDIENTS:


Amitraz: CAS #33089-61-1.....	9.0%
OTHER INGREDIENTS:.....	91.0%
TOTAL.....	100.0%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DO NOT ALLOW CHILDREN TO PLAY WITH THE COLLAR
DO NOT OPEN UNTIL READY TO USE

FOR DOGS UP TO 60 LBS.: NET CONTENTS: ONE 18" COLLAR - NET. WT.: 0.698 OZ. (19.9g)
 FOR DOGS UP TO 60 LBS.: NET CONTENTS: 2(TWO) 18" COLLARS - NET. WT.: 1.397 OZ. (39.6g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: ONE 25" COLLAR - NET. WT.: 0.97 OZ. (27.5g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: 2(TWO) 25" COLLARS - NET. WT.: 1.94 OZ. (55g)

Page 1 of 4
March 18, 2007
VB104LAB.DOC-1



Draft Label
Side/Back Panel

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS. DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HAZARDS TO HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco.

This collar is intended for use as an acaracide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS ONLY. DO NOT USE ON CATS.
Do not use on puppies under 12 weeks of age. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors, or pressor agents.

Sensitivities may occur after using ANY pesticide product for pets. Remove at first sign of irritation or adverse reaction, bathe dog with mild soap or non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed or if ingestion is suspected.

NOTE TO VETERINARIAN: If a dog ingests the collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal or enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

NOTICE: This product contains an ingredient know to the State of California to cause birth defects or other reproductive harm. Wash hands thoroughly after applying this product. Dispose of as instructed below.

Draft Label
Side/Back Panel

FIRST AID

- If In Eyes
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing
- Take off contaminated clothing.
 - Rinse Skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-345-4735 for emergency medical treatment information.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}

Place the collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. Do not allow dogs to play with cut-off excess. The collar must be worn tightly enough to contact skin and so the dog cannot remove it.

Activity against ticks starts within 24 hours and continues as long as the collar is worn (up to 90 days). Ticks present in the dogs environment that may reappear on the dog will not attach and will be killed in less than 24 hours. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. This product does not control fleas.

=====

STORAGE AND DISPOSAL

=====

Storage: Store in original container in locked storage area.

Disposal: Do not reuse empty pouch or box. Wrap pouch and put in trash collection. When discarding cut off end and used collar, wrap in newspaper and place in trash collection or offer for recycling, if available.

=====

EPA Reg. No.: 2382-104

EPA Est. No.: 2382-TX-1

EPA Est. No.: 83860-TX-1

OR EPA Est. No.: 2382-FRA-1

Made in France
Manufactured For
Virbac AH, Inc.
Consumer Brands Division
P.O. BOX 162059
Fort Worth, TX 76161
800-338-3659

AVAILABLE THROUGH LICENSED VETERINARIANS ONLY

(lot number statements as needed)
(label revision number) (product number)