

2382-104

7-10-2007

123



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUL 10 2007

Mr. Joseph E. Dyer
Regulatory Agent for
Virbac AH, Inc.
3200 Meacham Blvd
Fort Worth, TX 76137

RE: Notification of (Change in net weight of 18" Collar)
EPA Reg. No.: 2382-104
Date of Submission: June 11, 2007

Dear Mr. Dyer:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 11, 2007, for the product Preventic Tick Collar for Dogs. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/23



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

300471

Application for Pesticide - Section I

1. Company/Product Number 2382-104	2. EPA Product Manager JOHN HERBERT	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PREVENTIC TICK COLLAR FOR DOGS	PM# 07	
5. Name and Address of Applicant (Include ZIP Code) VIRBAC ANT, INC. 3200 MEACHAM BLVD FORTWORTH TX 76137 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below. NOTIFICATION

NOTIFICATION
JUL 10 2007

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

FOR THE PURPOSE, CONTENT, AND ATTACHMENTS TO THIS NOTIFICATION REFER TO THE COVER LETTER.
CHANGE IN NET WEIGHT OF 18" COLLAR FOR DOGS UNDER 60 LBS.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name JOSEPH E. DYER	Title REGULATORY AGENT	Telephone No. (Include Area Code) C C C C
2. Signature Joseph E. Dyer		3. Title REGULATORY AGENT
4. Typed Name JOSEPH E. DYER		5. Date JUNE 11, 2007
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) C C C C C C C C

923



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

FAX COVER

To: Joe Dyer Date: 3-28-07

Recipient Fax Number: (816) 637-2116

From: Bo Davis Phone: (703) 306-0415

Return Fax Number: (703) 308-0029

Number of Pages (including cover sheet) (6)

COMMENTS: Joe - Please send attached
the acceptance letter & stamped label.
Let me know if you have any
questions!!

Thanks!
Bo

4/23



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Joseph E. Dyer
Virbac AH, Inc
3200 Meacham, Blvd
Fort Worth, TX 76136

MAR 28 2007

Dear Mr. Dyer:

Subject: Labeling Amendment
Preventic Collar for Dogs
EPA Registration No. 2382-104
Submission Date: October 17, 2006

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions regarding this label, please contact Kable Bo Davis at (703) 306-0415.

Sincerely yours,

John Hebert
Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505P)

5/23

DRAFT LABEL
Front Panel

PREVENTIC TICK COLLAR FOR DOGS

- USE ONLY ON DOGS
- DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}
- ANTIPARASITIC
- FITS NECKS UP TO 25"
- KILLS AND DETACHES TICKS FOR 3 MONTHS
- ADJUSTABLE - ONE SIZE FITS MOST DOGS
- ADJUSTABLE FOR DOGS OVER 60 LBS.
- TICK COLLAR FOR DOGS
- 90 DAY TICK COLLAR FOR DOGS
- KILL TICKS FOR 3 MONTHS
- KILL TICKS FOR 90 DAYS
- THE ONE THAT KILLS AND DETACHES TICKS
- FOR DOGS UP TO 60 LBS
- FOR DOGS OVER 60 LBS
- SIX MONTHS OF TICK PREVENTION {I.E., FOR CARTON CONTAINS TWO COLLARS}

ACTIVE INGREDIENTS:


Amitraz: CAS #33089-61-1.....	9.0%
OTHER INGREDIENTS:.....	91.0%
TOTAL.....	100.0%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DO NOT ALLOW CHILDREN TO PLAY WITH THE COLLAR
DO NOT OPEN UNTIL READY TO USE

FOR DOGS UP TO 60 LBS.: NET CONTENTS: ONE 18" COLLAR - NET. WT.: 0.698 OZ. (19.9g)
 FOR DOGS UP TO 60 LBS.: NET CONTENTS: 2(TWO) 18" COLLARS - NET. WT.: 1.397 OZ. (39.6g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: ONE 25" COLLAR - NET. WT.: 0.97 OZ. (27.5g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: 2(TWO) 25" COLLARS - NET. WT.: 1.94 OZ. (55g)

Page 1 of 4
March 18, 2007
VE104LAB.DOC-1



6/23

Draft Label
Side/Back Panel

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS. DO NOT USE ON CATS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HAZARDS TO HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco.

This collar is intended for use as an acaricide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS ONLY. DO NOT USE ON CATS.

Do not use on puppies under 12 weeks of age. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors, or pressor agents.

Sensitivities may occur after using ANY pesticide product for pets. Remove at first sign of irritation or adverse reaction, bathe dog with mild soap or non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed or if ingestion is suspected.

NOTE TO VETERINARIAN: If a dog ingests the collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-billy laxative, activated charcoal or enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

NOTICE: This product contains an ingredient know to the State of California to cause birth defects or other reproductive harm. Wash hands thoroughly after applying this product. Dispose of as instructed below.

Draft Label
Side/Back Panel

FIRST AID

- If In Eyes
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present; after the first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing
- Take off contaminated clothing.
 - Rinse Skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-345-4735 for emergency medical treatment information.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS (PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT)

Place the collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. Do not allow dogs to play with cut-off excess. The collar must be worn tightly enough to contact skin and so the dog cannot remove it.

Activity against ticks starts within 24 hours and continues as long as the collar is worn (up to 90 days). Ticks present in the dogs environment that may reappear on the dog will not attach and will be killed in less than 24 hours. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. This product does not control fleas.

8/23

Draft Label
Side/Back Panel

=====

STORAGE AND DISPOSAL

=====

Storage: Store in original container in locked storage area.

Disposal: Do not reuse empty pouch or box. Wrap pouch and put in trash collection. When discarding cut off end and used collar, wrap in newspaper and place in trash collection or offer for recycling, if available.

=====

EPA Reg. No.: 2382-104

EPA Est. No.: 2382-TX-1

EPA Est. No.: 83860-TX-1

OR EPA Est. No.: 2382-FRA-1

Made in France
Manufactured For
Virbac AH, Inc.
Consumer Brands Division
P.O. BOX 162059
Fort Worth, TX 76161
800-338-3659

AVAILABLE THROUGH LICENSED VETERINARIANS ONLY

(lot number statements as needed)
(label revision number) (product number)

DRAFT LABEL
Front Panel

PREVENTIC TICK COLLAR FOR DOGS

- ___ USE ONLY ON DOGS
- ___ DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}
- ___ ANTIPARASITIC
- ___ FITS NECKS UP TO 25"
- ___ KILLS AND DETACHES TICKS FOR 3 MONTHS
- ___ ADJUSTABLE - ONE SIZE FITS MOST DOGS
- ___ ADJUSTABLE FOR DOGS OVER 60 LBS.
- ___ TICK COLLAR FOR DOGS
- ___ 90 DAY TICK COLLAR FOR DOGS
- ___ KILL TICKS FOR 3 MONTHS
- ___ KILL TICKS FOR 90 DAYS
- ___ THE ONE THAT KILLS AND DETACHES TICKS
- ___ FOR DOGS UP TO 60 LBS
- ___ FOR DOGS OVER 60 LBS
- ___ SIX MONTHS OF TICK PREVENTION {I.E., FOR CARTON CONTAINS TWO COLLARS}


ACTIVE INGREDIENTS:

Amitraz: CAS #33089-61-1.....	9.0%
OTHER INGREDIENTS:.....	91.0%
TOTAL.....	100.0%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DO NOT ALLOW CHILDREN TO PLAY WITH THE COLLAR
DO NOT OPEN UNTIL READY TO USE

- FOR DOGS UP TO 60 LBS.: NET CONTENTS: ONE 18" COLLAR - NET. WT.: 0.652 OZ. (18.5g)
- FOR DOGS UP TO 60 LBS.: NET CONTENTS: 2 (TWO) 18" COLLARS - NET. WT.: 1.397 OZ. (39.6g)
- FOR DOGS OVER 60 LBS.: NET CONTENTS: ONE 25" COLLAR - NET. WT.: 0.97 OZ. (27.5g)
- FOR DOGS OVER 60 LBS.: NET CONTENTS: 2 (TWO) 25" COLLARS - NET. WT.: 1.94 OZ. (55g)



**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS. DO NOT USE ON CATS**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HAZARDS TO HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco.

This collar is intended for use as an acaracide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS ONLY. DO NOT USE ON CATS.

Do not use on puppies under 12 weeks of age. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors, or pressor agents.

Sensitivities may occur after using ANY pesticide product for pets. Remove at first sign of irritation or adverse reaction, bathe dog with mild soap or non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed or if ingestion is suspected.

NOTE TO VETERINARIAN: If a dog ingests the collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal or enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

NOTICE: This product contains an ingredient know to the State of California to cause birth defects or other reproductive harm. Wash hands thoroughly after applying this product. Dispose of as instructed below.

=====

FIRST AID

=====

- If In Eyes
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing
- Take off contaminated clothing.
 - Rinse Skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

=====

HOT LINE NUMBER

=====

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-345-4735 for emergency medical treatment information.

=====


DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}

Place the collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. Do not allow dogs to play with cut-off excess. The collar must be worn tightly enough to contact skin and so the dog cannot remove it.

Activity against ticks starts within 24 hours and continues as long as the collar is worn (up to 90 days). Ticks present in the dogs environment that may reappear on the dog will not attach and will be killed in less than 24 hours. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. This product does not control fleas.



=====

STORAGE AND DISPOSAL

=====

Storage: Store in original container in locked storage area.

Disposal: Do not reuse empty pouch or box. Wrap pouch and put in trash collection. When discarding cut off end and used collar, wrap in newspaper and place in trash collection or offer for recycling, if available.

=====

EPA Reg. No.: 2382-104

EPA Est. No.: 2382-TX-1

EPA Est. No.: 83860-TX-1

OR EPA Est. No.: 2382-FRA-1

Made in France
Manufactured For
Virbac AH, Inc.
Consumer Brands Division
P.O. BOX 162059
Fort Worth, TX 76161
800-338-3659

AVAILABLE THROUGH LICENSED VETERINARIANS ONLY

(lot number statements as needed)
(label revision number) (product number)

13/23

DRAFT LABEL
Front Panel

PREVENTIC TICK COLLAR FOR DOGS

- USE ONLY ON DOGS
- DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}
- ANTI PARASITIC
- FITS NECKS UP TO 25"
- KILLS AND DETACHES TICKS FOR 3 MONTHS
- ADJUSTABLE - ONE SIZE FITS MOST DOGS
- ADJUSTABLE FOR DOGS OVER 60 LBS.
- TICK COLLAR FOR DOGS
- 90 DAY TICK COLLAR FOR DOGS
- KILL TICKS FOR 3 MONTHS
- KILL TICKS FOR 90 DAYS
- THE ONE THAT KILLS AND DETACHES TICKS
- FOR DOGS UP TO 60 LBS
- FOR DOGS OVER 60 LBS
- SIX MONTHS OF TICK PREVENTION {I.E., FOR CARTON CONTAINS TWO COLLARS}


ACTIVE INGREDIENTS:

Amitraz: CAS #33089-61-1.....	9.0%
OTHER INGREDIENTS:.....	91.0%
TOTAL.....	100.0%

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DO NOT ALLOW CHILDREN TO PLAY WITH THE COLLAR
DO NOT OPEN UNTIL READY TO USE

FOR DOGS UP TO 60 LBS.: NET CONTENTS: ONE 18" COLLAR - NET. WT.: 0.652 OZ. (18.5g)
 FOR DOGS UP TO 60 LBS.: NET CONTENTS: 2 (TWO) 18" COLLARS - NET. WT.: 1.397 OZ. (39.6g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: ONE 25" COLLAR - NET. WT.: 0.97 OZ. (27.5g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: 2 (TWO) 25" COLLARS - NET. WT.: 1.94 OZ. (55g)



14/23

DRAFT LABEL
Front Panel

PREVENTIC TICK COLLAR FOR DOGS

- USE ONLY ON DOGS
- DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}
- ANTIPARASITIC
- FITS NECKS UP TO 25"
- KILLS AND DETACHES TICKS FOR 3 MONTHS
- ADJUSTABLE - ONE SIZE FITS MOST DOGS
- ADJUSTABLE FOR DOGS OVER 60 LBS.
- TICK COLLAR FOR DOGS
- 90 DAY TICK COLLAR FOR DOGS
- KILL TICKS FOR 3 MONTHS
- KILL TICKS FOR 90 DAYS
- THE ONE THAT KILLS AND DETACHES TICKS
- FOR DOGS UP TO 60 LBS
- FOR DOGS OVER 60 LBS
- SIX MONTHS OF TICK PREVENTION {I.E., FOR CARTON CONTAINS TWO COLLARS}


ACTIVE INGREDIENTS:

Amitraz: CAS #33089-61-1.....	9.0%
OTHER INGREDIENTS:.....	<u>91.0%</u>
TOTAL.....	100.0%

KEEP OUT OF THE REACH OF CHILDREN
 CAUTION
 SEE BACK PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS

DO NOT ALLOW CHILDREN TO PLAY WITH THE COLLAR
 DO NOT OPEN UNTIL READY TO USE

FOR DOGS UP TO 60 LBS.: NET CONTENTS: ONE 18" COLLAR - NET. WT.: 0.652 OZ. (18.5g)
 FOR DOGS UP TO 60 LBS.: NET CONTENTS: 2 (TWO) 18" COLLARS - NET. WT.: 1.397 OZ. (39.6g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: ONE 25" COLLAR - NET. WT.: 0.97 OZ. (27.5g)
 FOR DOGS OVER 60 LBS.: NET CONTENTS: 2 (TWO) 25" COLLARS - NET. WT.: 1.94 OZ. (55g)



15/23

Draft Label
Side/Back Panel

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS. DO NOT USE ON CATS**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HAZARDS TO HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco.

This collar is intended for use as an acaracide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.


HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS ONLY. DO NOT USE ON CATS.
Do not use on puppies under 12 weeks of age. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors, or pressor agents.

Sensitivities may occur after using ANY pesticide product for pets. Remove at first sign of irritation or adverse reaction, bathe dog with mild soap or non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed or if ingestion is suspected.

NOTE TO VETERINARIAN: If a dog ingests the collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal or enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

NOTICE: This product contains an ingredient know to the State of California to cause birth defects or other reproductive harm. Wash hands thoroughly after applying this product. Dispose of as instructed below.



16
23

Draft Label
Side/Back Panel

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS. DO NOT USE ON CATS**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HAZARDS TO HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco.

This collar is intended for use as an acaracide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists.

HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS ONLY. DO NOT USE ON CATS.


Do not use on puppies under 12 weeks of age. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Do not treat collared dogs with other monoamine oxidase inhibitors, or with tricyclic antidepressants, selective serotonin reuptake inhibitors, or pressor agents.

Sensitivities may occur after using ANY pesticide product for pets. Remove at first sign of irritation or adverse reaction, bathe dog with mild soap or non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

DO NOT APPLY TO CATS. There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed or if injection is suspected.

NOTE TO VETERINARIAN: If a dog ingests the collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal or enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1mg/kg by intravenous injection is antidotal. Repeat as needed.

NOTICE: This product contains an ingredient know to the State of California to cause birth defects or other reproductive harm. Wash hands thoroughly after applying this product. Dispose of as instructed below.



Draft Label
Side/Back Panel

=====

FIRST AID

=====

- If In Eyes
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
 - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing
- Take off contaminated clothing.
 - Rinse Skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

=====

HOT LINE NUMBER

=====

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-345-4735 for emergency medical treatment information.

=====


DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS {PICTURE OF CAT WITH DIAGONAL LINE DRAWN THROUGH CAT}

Place the collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. Do not allow dogs to play with cut-off excess. The collar must be worn tightly enough to contact skin and so the dog cannot remove it.

Activity against ticks starts within 24 hours and continues as long as the collar is worn (up to 90 days). Ticks present in the dogs environment that may reappear on the dog will not attach and will be killed in less than 24 hours. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. This product does not control fleas.



2/23



June 11, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
ATTENTION: JOHN HEBERT (TEAM 07)

Subject: NOTIFICATION OF (CHANGE IN NET WEIGHT OF 18" COLLAR)
PER PR NOTICE 98-10 FOR:
PREVENTIC TICK COLLAR FOR DOGS
EPA Reg. No.: 2382-104 (Contains 9% Amitraz)

Dear Mr. Hebert:

In accordance with 40CFR Section 152.46, Virbac AH, Inc. submits herewith an application for pesticide notification for subject product.

The purpose of this submission is to allow for a change in the net weight of the 18" collar from the previous net weight of 0.689 OZ. (19.9g) to a new net weight of 0.652 OZ. (18.5g) for use on dogs up to 60 LBS. This one change on page 1 of 4 of the label has been highlighted.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations CFR 152.46, and no other changes have been made to the labeling or the confidential formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

The contents and attachments to this amendment include the following;

- 1) Cover Letter
- 2) Application For Pesticide Notification (EPA FORM 8570-1)
- 3) EPA Accepted Label Dated March 28, 2007
- 4) Product Label VB104LAC (3 COPIES) Dated June 11, 2007

PAGE 1 OF 2
VB104N1A.DOC-2

