man for page	at a manual and a man and a man
	EPA REGISTRATION NO. DATE OF ISSUANCE
US ENVIRONMENTIL PROTECTION AGENCY OFFICE OF PESILIDES PROGRAMS	2382-105 JUN 16 1992
REGISTRATIONINVISION (75-767)	TERM OF ISSUANCE
WASHINGON, DC 20460	Until Reregistration
	NAME OF PESTICIDE PRODUCT
NOTICE OF PESTIODE:	Protection 300 Flea and Tick
(Under the Federal Insecticide, Fungicide,	Collar for Dogs
and Rodentici Act, as amended)	Collar for bogs
AME AND ADDRESS OF REMSTRANT (Include ZIP code)	
Г	16 5 A 01 486 18 1
Virbar, Inc.	< 11.10 5 401 4EG
2507 <b>G</b> ravel Drive	10/1
Fort Dorth, TX 76118-6904	
L	
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	om that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on this per.
On the basis of informationfurnished by the registrant, the a the Federal Insecticide, Pmgicide, and Rodenticide Act.	bove named pesticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.	
Desistantian is in as you to be construed as an indersement	or approval of this product by this Agency. In order to protect
	, may at any time suspend or cancel the registration of a pest-
	ne in connection with the registration of a product under this
	exclusive use of the name or to its use if it has been covered
by others.	
This <b>pro</b> duct is conditionally registered in accordance with	
FIFRA sec. 3(c) (7) (A) since you	have agreed to:
	data or other material for
registration/reregistration of	your product under FIFRA section
3(c)(5) or FIFRA section 4 when	the Agency requires all
registrants of similar products to submit such data.	
•	
2. Make the labeling chan	ge listed below before you release
the product for shipment:	
a. Add the phrase, "EPA	Registration No. 2382-105."
	"Do not use other pesticides on
dog while c <b>al</b> lar is worn." to	
·	
Do not use other chol	inesterase inhibiting pesticies,
dregs or chemicals on	dog while collar is worn.
-	
c. Add the following pre	caution
2 •	
Do not use more than	one collar per animal.
	_
d. Identify <u>Rhipicephalu</u>	<u>s sanguineous</u> by its common name
also, Brown Dog Tick, on the fr	ont panel.
	•
-	
ATTACHMENT IS APPLEABLE	
SIGNATURE OF APPROVING #FICIAL	DATE

i

74.- 3. In regard to the product chemistry information submitted June 28, 1991, the following comments apply:

a. Recalculate the upper and lower limits, column 14, for: "plastic matrix," "stabilizer," "filler," and "toxicant;" note that the percent active ingredient for the toxicant, diazinon, does not agree with the label claim.

b. The total percent by weight for column 13 does not add up to 100%.

4. Submit 5 copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

> George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

15

Enclosures

3 7 5

## BLISTER PACKAGE

FRONT PANEL

## PROTECTION<sup>tm</sup> 300 Flea and Tick Collar for Dogs

Kills fleas for 10 months Kills <u>Rhipicephalus</u> <u>sanguineous</u> ticks for 7 months

KEEP OUT OF REACH OF CHILDREN


CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 20"

VIRBAC:

CONTAINS 1 FLEA AND TICK COLLAR

NET WT. 1.06 OZ. (30 g)



2383.105

## BLISTER PACKAGE

BACK PANEL

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: this collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use of humans. the insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on puppies under one year of age.

Adjustable - fits dogs, 20" neck or smaller.

DIRECTIONS FOR USE It is a violation of Federal law to use this collar in a manner inconsistent with its labelling.

Place Protection<sup>tm</sup> 300 collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. the collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 300 days). Rhipicephalus sanguineous ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few davs. This collar will continue killing and controlling ticks for up to 210 days. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-

EPA Est. 15577-FR-1

4 9 5

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France

· .

595

4