

CARTON FRONT PANELNATURA[®] Flea and Tick Collar for Dogs

Kills fleas and Ticks for 3 months

ACTIVE INGREDIENT:

Permethrin: [(3-Phenoxyphenyl)methyl (+)cis-trans-3-(2,2-dichloroethenyl)2,2-dimethylcyclopropane-carboxylate]*..... .8.0%
INERT INGREDIENTS.....92.0%
TOTAL.....100.0%


* cis-trans isomer ratio: Max. 55% (\pm) cis
Min. 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC, INC.

CONTENTS: ONE COLLAR NET WT. 0.37 OZ. (10.5 g)



CARTON BACK PANEL

NATURA^F Flea and Tick Collar

Not recommended for use on dogs over 35 lbs.

Adjustable - Fits puppies and small dogs

15" neck size or smaller

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs. Do not use on puppies less than 5 months of age. Do not use more than one collar at a time on the animal. Efficacy for the periods claimed has not been established for dogs heavier than 35 lbs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Place the Natura^F collar around the dog's neck, buckle and adjust for proper fit. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between the collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in one week and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. On long-haired dogs, aids in control of ticks. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch, box or collar. Wrap in newspaper and put in trash collection.

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.

P.O. Box 185338

Fort Worth, Texas 76181

Made in France

BEST AVAILABLE COPY

379

POUCH LABEL

NATURA[™] Flea and Tick Collar for Dogs

Do not open until ready to use

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel of outer carton for additional
precautionary statements and directions

ACTIVE INGREDIENT:

Permethrin: [(3-Phenoxyphenyl)methyl (+) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate]*	8.0%
INERT INGREDIENTS	92.0%
TOTAL	100.0%

* cis-trans isomer ratio: Max. 55% (+) cis
Min. 45 % (+) trans

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
P.O. Box 185338
Fort Worth, Texas 76181

479

CARTON FRONT PANEL

NATURA^r Flea and Tick Collar for Puppies and Small Dogs

Kills fleas and ticks for 3 months

ACTIVE INGREDIENT:

Permethrin: [(3-Phenoxyphenyl)methyl (\pm) cis-trans-3-(2,2-dichloroethenyl)2,2-dimethylcyclopropane-carboxylate]*.....8.0%
INERT INGREDIENTS.....92.0%
TOTAL.....100.0%

* cis-trans isomer ratio: Max. 55% (\pm) cis
Min. 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC, INC.

CONTENTS: ONE COLLAR NET WT. 0.32 OZ. (9 g)

527

CARTON BACK PANEL

Natura^r Flea and Tick Collar

Not recommended for dogs over 35 lbs.

Adjustable - fits dogs, 18" neck size or smaller

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide and fatty acid generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs. Do not use on puppies less than 5 months of age. Efficacy for the periods claimed has not been established for dogs heavier than 35 pounds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Place the Natura^r collar around the dog's neck, buckle and adjust for proper fit. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between the collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in one week and continues as long as the collar is worn (up to 90 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. On long-haired dogs, aids in control of ticks. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch, box or collar. Wrap in newspaper and put in trash collection.

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.

P.O. Box 185338

Fort Worth, Texas 76181

Made in France

BEST AVAILABLE COPY

699

POUCH LABEL

NATURAL[®] Flea and Tick Collar for Puppies and Small Dogs

Do not open until ready to use

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel of outer carton for
additional precautionary statements and directions

ACTIVE INGREDIENT:

Permethrin: [(3-Phenoxyphenyl)methyl (\pm)cis-trans-3-(2,2-dichloroethenyl)2,2-dimethylcyclopropane-carboxylate]*.....8.0%
INERT INGREDIENTS.....92.0%
TOTAL.....100.0%

* cis-trans isomer ratio: Max: 55% (\pm) cis
Min. 45% (\pm) trans

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
P.O. Box 185338
Fort Worth, Texas 76181

199

CARTON FRONT PANEL

NATURA^r Flea and Tick Collar for Cats

Neck Size up to 11"

Kills fleas and ticks for 3 months

ACTIVE INGREDIENT:

Permethrin: [3-Phenoxyphenyl)methyl (+) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate]*.....8.0%
INERT INGREDIENTS.....92.0%
TOTAL.....100.0%

*cis-trans isomer ratio: Max. 55% (+) cis
 Min. 45% (+) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC, INC.

CONTENTS: ONE COLLAR NET WT. 0.20 OZ. (5.7 g)

8 7 9

CARTON BACK PANEL

Natura^r Flea and Tick Collar

Adjustable - Fits cats, 11" neck size or smaller

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing cats. Do not use on cats less than 6 months of age. Do not use more than one collar at a time on the animal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Place the Natura^r collar around the cat's neck, buckle and adjust for proper fit. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between the collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in one week and continues as long as the collar is worn (up to 90 days). Ticks are only incidental or occasional pests of cats. Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 90 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch, box or collar. Wrap in newspaper and put in trash collection.

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
P.O. Box 185338
Fort Worth, Texas 76181
Made in France

BEST AVAILABLE COPY

9 2 9

POUCH LABEL

NATURA^r Flea and Tick Collar for Cats

Neck Size up to 11"

Do not open until ready to use

KEEP OUT OF THE REACH OF CHILDREN

CAUTION: See back panel of outer carton for additional
precautinary statements and directions

ACTIVE INGREDIENT:

Permethrin [(3-Phenoxyphenyl)methyl (+) cis-trans-3-
(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-
carboxylate]*.....8.0%
INERT INGREDIENTS.....92.0%
TOTAL.....100.0%

* cis-trans isomer ratio: Max. 55% (+) cis
Min. 45% (+) trans

EPA Reg. No. 2382-106

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
P.O. Box 185338
Fort Worth, Texas 76181