

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Posticide Program Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Rog. Number: 2382-113

Date of Issuence:

JUL 0 6 199**5**

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

Name of Pestinide Product:

Term of Issuence: Until Reregistration

Parasitex Flea and Tick Collar for Dogs

(under PIFRA, as assended)

Name and Address of Registrant (include ZIP Code):

Virbac, Inc. 3200 Meacham Boulevard Fort Worth, Texas

Noter Changes in Inheling differing in naturates from that accepted in connection with this requirement as medianted to and accepted by the Regist Division prior to man of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Pederal Insecticide, Pungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the cavironment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the same or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read. "EPA Reg. No. 2382-113."
 - b. Add a sentence to the Hazards to Humans and Domestic Animals section: "Wash hands thoroughly with soap and water after handling collar."

Signature of Approving Official:

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

JUL 0 6 1995

EPA Form 1570-6

page 2 EPA Reg. No. 2382-113

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

Front of carton

PARASITEX®

Flea and Tick Collar For Dogs

Kills fleas for 5 months Kills ticks for 5 months Kills *lxodes sp.* Lyme Ticks

For neck size up to 28"

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary
statements and directions.

Virbac, Inc.

Contains One Flea and Tick Collar

Net Wt. 1.4 oz. (42 g)

95/01

ACCEPTED
with COMMENTS
in EPA Letter Dated

PJUL 0 6 1995

Under the Federal Insecticide. Funcioned, and Radenticide Act as amended, for the preticide registered under EPA Reg. No.

3

Back of carton

PARASITEX® Flea and Tick Collar for Dogs Adjustable - fits dogs up to 28" neck size

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physician/Veterinarian: This product contains a cholinesterase inhibitor. Atropine sulfate is antidotal only if signs of cholinesterase inhibition are present.

Do not use dogs that are pregnant, nursing, less than six months old, or sick or convalescing. Remove collar and shampoo dog if skin irritation, salivation, loose stool, depression or fremors are observed. Do not use other cholinesterase-inhibiting pesticides, drugs or chemicals on dog white collar is worn.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this collar in a manner inconsistent with its labelling.

Place PARASITEX® collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn lightly enough to contact the skin and to prevent the dog from removing it. If collar is worn too tightly, it may produce neck irritation. Activity against fleas and ticks (*Rnipicephalus sanguineus*, i.e., Brown Dog Tick, and *Ixodes sp.*) starts within 24 hours, reaches maximum effectiveness on the second day and continues as long as the collar is worn (up to 150 days). Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal waiting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-113

EPA Est. 15577-FR-1

Manufactured for Virbac, inc. P.O. Box 162059 Fort Worth, Texas 76161 Made in France

95/01

Ŧ

Pouch label Flea and Tick Collar For Dogs

....

Kills fleas for 5 months Kills ticks for 5 months Kills *lxodes sp.* Lyme Ticks

For neck size up to 28"

CAUTIONKEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements and directions.

virbac, Inc.

EPA Reg. No. 2382-113 EPA Est. 15577-FR-1
Contains One Flea and Tick Collar Net Wt. 1.4 oz. (42 g)
Made in France

95/01