

4/20/2004

1/3

FRONT PANEL

## YARD SPRAY CONCENTRATE

- ◆ VIRBAC ANIMAL HEALTH
- ◆ PARASITOLOGY
- ◆ RESIDUAL ACTION INSECTICIDE CONCENTRATE FOR USE  
OUTDOORS ON LAWNS AND AROUND RESIDENTIAL PREMISES  
TO KILL FLEAS AND TICKS
- ◆ KILLS DEER TICKS AND OTHER IXODID SPECIES THAT  
MAY CARRY LYME DISEASE
- ◆ 16 FL. OZ. TREATS 6000 SQUARE FEET

**ACTIVE INGREDIENT:**

Esfenvalerate: CAS #66230-04-4..... 0.44%

**OTHER INGREDIENTS:**..... 99.56%**TOTAL:**..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight: 16 fl. oz. (473 mL.)

ACCEPTED  
APR 20 2004  
2382-122

**SIDE/BACK PANEL****READ ENTIRE LABEL BEFORE EACH USE****PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing vapors or spray mist and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Avoid contamination of food and foodstuffs. Do not spray plants used for food or feed. Keep pets and children out of treated area until after spray has dried. Do not spray on animals.

=====

**FIRST AID**

=====

- If Swallowed**
- ° Call a poison control center or doctor immediately for treatment advice.
  - ° Have person sip a glass of water if able to swallow.
  - ° Do not induce vomiting unless told to do so by a poison control center or doctor.
  - ° Do not give anything by mouth to an unconscious person.

- If On Skin or Clothing**
- ° Take off contaminated clothing.
  - ° Rinse Skin immediately with plenty of water for 15-20 minutes.
  - ° Call a poison control center or doctor for treatment advice.

- If In Eyes**
- ° Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
  - ° Call a poison control center or doctor for treatment advice.

- If Inhaled**
- ° Move person to fresh air.
  - ° If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
  - ° Call a poison control center or doctor for further treatment advice.
- =====

**HOT LINE NUMBER**

=====

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-345-4735 for emergency medical treatment information.

=====

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters or rinsate.

**SIDE/BACK PANEL**

**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

To kill fleas and ticks harboring in lawns, backyards, dog kennels and runs, apply Yard Spray Concentrate through the hose end sprayer provided with this product or by compressed air sprayer or watering can. For best results lawn should be mowed a day or two before spraying.

**For use with Hose End Sprayer Applicator:** The hose end applicator cap is calibrated to deliver the correct dilution rate, and when attached to this bottle will treat 6000 square feet. To treat smaller areas, stop spraying when the appropriate amount of concentrate has been used (e.g. half the concentrate should be used for a 3000 square foot yard), reclose bottle with original cap and store bottle for next application. Separate mixing of the concentrate or other application equipment is not required. First ensure the hose faucet is turned off. Then screw end of hose into black end of the sprayer cap. Remove bottle cap (save for closing after use). Secure sprayer cap to bottle by turning bottle counter-clockwise. Turn on faucet. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where pets frequent. Spray under ornamentals and trees but avoid soaking young or flowering plants. Flea populations are greatest where the pet spends the most time. Therefore be sure to thoroughly soak these areas (e.g. shaded areas such as underbrushes, trees, porches, inside pet kennel and wherever your pet frequents). Repeat treatment may be necessary at 7 to 14 day intervals.

**For Compressed Air Sprayer or Watering Can Applicator:** Mix two (2) fluid ounces of concentrate per one (1) gallon of water and apply at the rate of one (1) gallon of diluted spray per 1000 square feet to surfaces of kennels, exercise runs, patios, on and under porches, crawl spaces and other outdoor areas pets frequent.

=====

**STORAGE AND DISPOSAL**

-----

**Storage:** Store in a closed container in a cool dry place.

**Disposal:** If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

=====

EPA Reg. No.: 2382-122

EPA Est. No.: 67517-MO-1

Manufactured By  
Virbac AH, Inc.  
Fort Worth, TX 76161  
800-338-3659

**AVAILABLE THROUGH LICENSED VETERINARIANS ONLY**

(lot number statements as needed)

Mfg. & Printed in U.S.A. (label revision number) (product number)