

BEST AVAILABLE COPY

Ethanol & Isopropanol solvent base label (F.Pt 73 °F)

virbac®
PREVENTIC™ L.A. IGR
[Residual Flea Ovipositant and Tick Killer
Spray for Dogs]
[Long Acting Flea & Tick Spray with Nylar®
IGR for Dogs]
[Quick-Acting / Immediate Flushing
Residual Flea & Tick Spray for Dogs]
[Long-Acting Flea & Tick Spray with
Permethrin & Pyriproxyfen]
[Kills fleas for 2 months]
[Kills ticks, including Lyme vectors, for 1
month]
[Nylar® IGR sterilizes fleas (kills flea eggs)
for 3 months]

ACTIVE INGREDIENTS:
Pyriproxyfen: 2-[1-methyl-2-(phenoxy-
phenoxy) ethoxy] pyridine..... 0.05%
Permethrin: [(3-phenoxyphenyl) methyl (+/-)
cis-trans-3-(2,2-dichloroethenyl) 2,2
dimethyl cyclopropanecarboxylate]* 2.00%
INERT INGREDIENTS..... 97.95%
TOTAL..... 100.00%
*cis-trans isomer ratio: Min. 35% (+/-) cis
Max. 65% (+/-) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautionary
statements and directions
Net Contents: 8 fl. oz. (237 mL)
Virbac Inc.,
P.O. Box 162059, Fort Worth, TX 76161
Nylar® Registered trademark of McLaughlin, Gormley King
Company.

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Spray over entire haircoat making sure the coat is thoroughly wetted to the skin. Spray against the lay of the hair, ruffling the coat on long-haired dogs. Weight of dog, length of hair and density of coat will determine amount of spray to be applied to wet the skin (average dose approximately 7.5 g/kg). This 8 oz. bottle should be sufficient for two applications at a two month interval to an average 30-35 lb dog. Lighter applications will reduce period of effectiveness and require more frequent treatments. Allow dog to air dry or blow dry. Do not towel dry.

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing spray mist. Use only in a well ventilated area. Avoid contamination of food. Wash exposed skin with soap and water after using. Remove contaminated clothing and wash before reuse.

HAZARDS TO ANIMALS: Do not use on cats. Do not use on dogs less than 12 weeks old. Consult a veterinarian before treating pregnant, nursing, sick, old or debilitated dogs or dogs undergoing drug or other pesticide treatment. Do not spray in eyes, face or on genitalia. Until dry, do not confine treated dog in area without adequate cross ventilation. In the event of adverse reaction, shampoo dog with a non-pesticidal shampoo to remove pesticide residue. If signs persist or become more severe consult a veterinarian.

STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat and open flame.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

EPA Reg. No. 2382-124 EPA Est. No. 2382-IN-1
Lot no. on bottom of container 96/05

ACCEPTED
MAY 28 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2382-124

PM 10 2382-124 5/28/97 Page 1 of 2

Methoxypropanol solvent base label (F.Pt. 110°F)

Virbac®

PREVENTIC™ L.A. IGR
[Residual Flea Oviposition and Tick Killer
Spray for Dogs]
[Long Acting Flea & Tick Spray with Nylar®
IGR for Dogs]
[Quick-Acting / Immediate Flushing
Residual Flea & Tick Spray for Dogs]
[Long-Acting Flea & Tick Spray with
Permethrin & Pyriproxyfen]
[Kills fleas for 2 months]
[Kills ticks, including Lyme vectors, for 1
month]
[Nylar® IGR sterilizes fleas (kills flea eggs)
for 3 months]

ACTIVE INGREDIENTS:

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-
phenoxy)ethoxy]pyridine..... 0.05%
Permethrin: [(3-phenoxyphenyl) methyl (+/-)
cis-trans-3-(2,2-dichloroethenyl) 2,2
dimethyl cyclopropanecarboxylate]*..... 2.00%
INERT INGREDIENTS..... 97.95%
TOTAL..... 100.00%

*cis-trans isomer ratio: Min. 35% (+/-) cis
Max. 65% (+/-) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautionary
statements and directions
Net Contents: 8 fl. oz. (237 mL)
Virbac Inc.,

P.O. Box 162059, Fort Worth, TX 76161

Nylar® Registered trademark of McLaughlin, Gormley King Company.

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Spray over entire haircoat making sure the coat is thoroughly wetted to the skin. Spray against the lay of the hair, ruffling the coat on long-haired dogs. Weight of dog, length of hair and density of coat will determine amount of spray to be applied to wet the skin (average dose approximately 7.5 g/ kg). This 8 oz. bottle should be sufficient for two applications at a two month interval to an average 30-35 lb dog. Lighter applications will reduce period of effectiveness and require more frequent treatments. Allow dog to air dry or blow dry. Do not towel dry.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing spray mist. Use only in a well ventilated area. Avoid contamination of food. Wash exposed skin with soap and water after using. Remove contaminated clothing and wash before reuse.

HAZARDS TO ANIMALS: Do not use on cats. Do not use on dogs less than 12 weeks old. Consult a veterinarian before treating pregnant, nursing, sick, old or debilitated dogs or dogs undergoing drug or other pesticide treatment. Do not spray in eyes, face or on genitalia. Until dry, do not confine treated dog in area without adequate cross ventilation. In the event of adverse reaction, shampoo dog with a non-pesticidal shampoo to remove pesticide residue. If signs persist or become more severe consult a veterinarian.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

EPA Reg. No. 2382-124 EPA Est. No. 2382-IN-1
Lot no. on bottom of container 86/05

BEST AVAILABLE COPY

ACCEPTED
MAY 1986
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2382-124

292