

BEST AVAILABLE COPY

francodex®

FLEA SCIENCE™
IGR FLEA & TICK SPRAY FOR
DOGS & PUPPIES WITH NYLAR®

KILLS FLEAS AND TICKS, INCLUDING
LYME TICKS, FOR UP TO 15 DAYS
KILLS FLEA EGGS FOR UP TO FOUR
WEEKS

ACTIVE INGREDIENTS:

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-
phenoxy) ethoxy] pyridine..... 0.005%
Permethrin: (3-phenoxyphenyl) methyl
(,±)cis-trans-3-(2,2-dichloroethenyl) 2,2-
dimethylcyclopropanecarboxylate*..... 1.000%
INERT INGREDIENTS..... 98.995%

*cis-trans isomer ratio: Min. 35% (+/-) cis
Max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary
statements and directions

Net Contents: 16 fl. oz. (473 mL)

Virbac Inc., P.O. Box 162059,
Fort Worth, TX 76161
Telephone 817-831-5030

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON
DOGS PRECAUTIONARY STATEMENT HAZARDS TO
HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid
contact with eyes or clothing. Avoid breathing spray mist. Use only
in a well ventilated area. Avoid contamination of food. Wash exposed
skin with soap and water after using. Remove contaminated clothing
and wash before reuse.

HAZARDS TO ANIMALS: DO NOT USE ON CATS. Do not use
on puppies under 12 weeks old. Consult a veterinarian before
treating debilitated, aged, medicated, pregnant or nursing animals.
Do not spray in eyes, face or on genitalia. Until dry, do not confine
treated dog in area without adequate cross ventilation. Sensitivities
may occur after using any pesticide product on pets. If signs of
sensitvity occur, bathe your pet with mild soap or a non-pesticidal
shampoo and rinse with large amounts of water. If signs continue,
consult a veterinarian immediately.

FIRST AID: If in Eyes: Flush with plenty of water. Call a physician
if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this
product in a manner inconsistent with its labelling. Spray over the
entire haircoat making sure the coat is thoroughly wetted down to the
skin. Spray against the lay of the hair, ruffling the coat on long-haired
dogs. Weight of dog, length of hair and density of coat will determine
amount of spray to be applied to wet the skin (average dose
approximately 1.5-3.0 g/kg). This 16 oz. bottle should be sufficient
for 7-14 applications at two week intervals to an average 40-50 lb.
dog. Allow dog to air dry or blow dry. Do not towel dry. When product
is applied at the full recommended rate, the pet must not be re-treated
for at least 14 days. Lighter applications will reduce period of
effectiveness, may result in early reinfestation with new fleas and
ticks and may require more frequent treatment.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap in several layers
of newspaper and discard in trash.

EPA Reg. No. 2382-134 EPA Est. No. 2382-IN-1

Nylar® Registered trademark of McLaughlin, Gormley King Company.

Lot no. on bottom of container

ACCEPTED

MAY 28 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for a pesticide
registered under
EPA Reg. No. 2382-134

PM-10

Reg # 2382-134

5/28/97

191