

ACCEPTED

AUG 26 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2382-134

Flea Killer Plus Dog Spray III

[Kills fleas and ticks for up to 15
days, including Ixodidae that
transmit Lyme Disease]

[Nylar® IGR sterilizes fleas and
(kills) their eggs for up to 4 weeks]

[Kills hatching eggs for up to 28
days
(4 weeks)]

Kills Fleas PLUS Kills Eggs for up to
4 weeks]

[No need to pump. Sprays in any
position, even upside down]

ACTIVE INGREDIENTS:

Pyriproxyfen..... 0.005%

Permethrin*..... 1.000%

INERT INGREDIENTS..... 98.995%

*cis-trans isomer ratio: Min. 35% (+/-) cis
Max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary
statements and directions

Net Contents: 5 fl. oz. (147 mL)

Virbac Inc.,
P.O. Box 162059,
Fort Worth, TX 76161
Telephone 817-831-5030

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON
DOGS. PRECAUTIONARY STATEMENT HAZARDS TO
HUMANS AND DOMESTIC ANIMALS CAUTION

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid
contact with eyes or clothing. Avoid breathing spray mist. Use only
in a well ventilated area. Avoid contamination of food. Wash
exposed skin with soap and water after using. Remove contaminated
clothing and wash before reuse.

HAZARDS TO ANIMALS: DO NOT USE ON CATS! Do not use
on puppies under 12 weeks old. Consult a veterinarian before
treating debilitated, aged, medicated, pregnant or nursing animals.
Do not spray in eyes, face or on genitalia. Until dry, do not confine
treated dog in area without adequate cross ventilation. Sensitivities
may occur after using ANY pesticide product on pets. If signs of
sensitvity occur, bathe your pet with mild soap or a non-pesticidal
shampoo and rinse with large amounts of water. If signs continue,
consult a veterinarian immediately.

FIRST AID If in Eyes: Flush with plenty of water. Call a physician
if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Flammable: Keep away from heat and open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this
product in a manner inconsistent with its labelling. Spray over the
entire haircoat making sure the coat is thoroughly wetted down to the
skin. Spray against the lay of the hair, ruffling the coat on long-haired
dogs. Weight of dog, length of hair and density of coat will determine
amount of spray to be applied to wet the skin (average dose
approximately 1.5-3.0 g/kg). This 5 oz. bottle should be sufficient for
2-4 applications at two week intervals to an average 40-60 lb. dog.
Allow dog to air dry or blow dry. Do not towel dry. When product is
applied at the full recommended rate, pet should not be retreated for
14 days. Lighter applications will reduce period of effectiveness and
may require more frequent treatment.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do not reuse empty container. Wrap in several layers
of newspaper and discard in trash.

EPA Reg. No. 2382-134 EPA Est. No. 2382-IN-1

Nylar® Registered trademark of McLaughlin, Gormley King Company.

Lot no. xxxx

rev. 97107

PM 03
2382-134
8/26/97
Page 1 of 1