

PM 10

2382-135

15



U S ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (H7505C)401 "M" St, S W
Washington, D C. 20460

EPA Reg Number

2382-135

Date of Issuance

JUN 1996

Term of Issuance Unconditional

Name of Pesticide Product. Flea
Ovisterilant Collar
For Cats #1

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code)

Virbac Inc.
P.O. Box 162059
Fort Worth, Texas 76161

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c) (5).

Make the following label changes before releasing the product for shipping:

- Revise the EPA Registration Number to read, "EPA Reg. No. 2382-135".
- Under directions for use, add the statement, "To prevent harm to you or your pet, read entire label before use."
- Under directions for use, add the statement, "Consult your veterinarian before using this product on pregnant or lactating females, old, sick or debilitated animals or on animals undergoing drug or other pesticide treatment."

Signature of Approving Official

RPK

Date

JUN 1996

- 2/
- d. Split the precautionary statements into two sections: Hazards To Humans and Hazards To Animals. Under Hazards To Humans, add the statement, "Wash with soap and water after handling.". Under Hazards To Animals, add the statements, "Do not apply to nursing kittens. Some animals may be sensitive to ingredients in this product. Observe pet for possible signs of adverse reactions. If animal has adverse effects, remove collar and immediately seek veterinary advise.".
 - e. Have your supplier of Bayferrox 180M and Flash Black 19976 submit their chemical compositions including chemical names, Cas numbers, and percentages of each component. Manufacturing Safety Data Sheets should also be submitted.

Submit two (2) copies of the revised final printed label before you release the product for shipment.

If the final printed labeling is not received prior to shipment of this product, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these requirements.

A stamped copy of the label is enclosed for your records.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (7505C)

7/20

ACCEPTED
JUN 1996
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under
EPA Reg. No. 2382-135

Sterilizes fleas on cats for 13 months

ACTIVE INGREDIENT:

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-phenoxy)ethoxy] pyridine.....	0.5%
INERT INGREDIENTS.....	99.5%
TOTAL.....	100.0%

CAUTION
KEEP OUT OF REACH OF CHILDREN

See carton for additional precautionary statements and directions.

virbac, Inc.

EPA Reg. No. 2382-xxx EPA Est. 15577-FR-1

Contains One Flea Ovisterilant Collar Net Wt. 0.83 oz. (23.4 g)
Made in France

95/11

[illegible]

4/5

Carton, front

Flea Ovisterilant Collar For Cats #1

Sterilizes fleas on cats for 13 months

For neck size up to 14"

ACTIVE INGREDIENT:

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-phenoxy)ethoxy]

pyridine..... 0.5%

INERT INGREDIENTS..... 99.5%

TOTAL..... 100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary
statements and directions.


virbac, Inc.

Contains One Flea Ovisterilant Collar

Net Wt. 0.83 oz. (23.4 g)

Made in France

95/11



5/5

Carton, back

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use only on pet animals. Do not allow children to handle or play with this collar.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this collar in a manner inconsistent with its labelling.

Place **OVISTERILANT COLLAR #1** collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn tightly enough to contact skin. If collar is worn too tightly, it may produce neck irritation.

This collar is designed for long term prevention and control of flea problems by preventing the build up of flea populations through its flea sterilizing action. Ideally, as a preventive measure and for maximum effect, this collar should be applied to the cat before the flea season starts. Its ovicidal activity, that sterilizes fleas already on the cat, starts immediately, reaches 100% effectiveness within 2 days and continues at 100% effectiveness as long as the collar is worn (at least for 370 days). Fleas already present in the cat's environment, that may reappear on the cat, will be immediately sterilized before they start to lay eggs. The potential for development of new fleas in the cat's environment, that would normally reinfest the cat, will thus be prevented for a full year. It is recommended therefore that this collar should be replaced once a year, perhaps on a significant date such as the pet's birthday or on the first of January.

The active ingredient in this collar is not an insecticide or acaricide, is not toxic and will not kill adult parasites. Therefore, if the cat or its environment is heavily infested with fleas when the collar is first applied, the collar's flea ovisterilant benefit will not be apparent for several weeks until all pre-existing environmental flea life cycle stages have developed and either found a host or died. In these circumstances it is necessary to use other means (e.g., insecticide treatments, applied to both the pet and its environment) to kill existing flea stages on the pet and in its environment. Tick infestation must always be controlled by products labelled for ticks. The collar and its active ingredient in the cat's haircoat are not affected by normal wetting or by bathing. Replace collar as needed.

DISPOSAL

Do not reuse empty pouch or box. . Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-XXX

EPA Est. 15577-FR-1

Manufactured for Virbac, inc.
P.O. Box 162059 Fort Worth, Texas 76161
Made in France

95/11